



## Safety Data Sheet

revision n° 3/2022 drawn up on 24/3/2023 update on Reg.2020/878 & Reg.2022/692/CE - ATP 18

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**1.1. Product identifier**

Trade code:	FO31359
INCI:	parfum / fragrance (USA INCI: fragrance)
Product's type:	Blend of essential oils, natural and synthetic fragrances. Content of natural substances <90%. Natural Index is <0.5 (ISO 16128).
Flow chart:	production process made by cold mixing.
Origin:	Italy (EC)
CAS n°:	Exempt, it is a mixture.
EC n°:	Exempt, it is a mixture.
REACH n°:	Exempt, it is a mixture.
Tariff n°:	3302 9090
VAT n°:	IT03397030960
UFI n°	RT40-909P-U00Y-QQ24 (associated to a group of blends)

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Identified use:	<ul style="list-style-type: none"> <li>for use into cosmetic products;</li> <li>for use into environmental deodorants;</li> <li>for use into detergency;</li> <li>for use into technical materials (leather, paper, plastic, rubber, fabrics, gasolines, paints, inks, glues).</li> </ul>
Uses advised against:	<ul style="list-style-type: none"> <li>use into repellents and attractive animals;</li> <li>use into products used in the food field;</li> <li>use into supplements;</li> <li>use into feeds.</li> </ul>




ESTONIA 16662 or 112  
FINLAND +358 09 471 977  
FRANCE +33 (0)1 45 42 59 59  
GERMANY +49 30 450 653565  
GREECE +30 10 779 3777 HUNGARY +36 80 20 11 99  
ICELAND 543 2222  
IRELAND +353 01 8092566 or 01 8379964  
ITALY +39 06 305 4343  
LATVIA +371 67042473  
LITHUANIA +370 5 236 20 52 or +370 687 53378  
MALTA (+356) 2545 0000  
NORWAY 22 59 13 00  
NETHERLANDS +31 30 274 88 88  
POLAND +48 22 619 66 54 or +48 22 619 08 97  
PORTUGAL 808 250 143  
ROMANIA +40 021.318.36.06  
SLOVAKIA +421 2 5477 4166  
SLOVENIA +386 41 650 500  
SPAIN +34 91 562 04 20  
SWEDEN 112  
UNITED KINGDOM 0870 243 2241 or +44 (0)20 7771 5310

---

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

-  Warning, Eye Irrit. 2, Causes serious eye irritation.
-  Warning, Skin Sens. 1B, May cause an allergic skin reaction.
-  Aquatic Chronic 2, Toxic to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards

### 2.2. Label elements

Hazard pictograms:



Warning

Hazard statements:

- H319 Causes serious eye irritation.
- H317 May cause an allergic skin reaction.
- H411 Toxic to aquatic life with long lasting effects.

Precautionary statements:

- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P337+P313 If eye irritation persists: Get medical advice/attention.
- P391 Collect spillage.

Special Provisions:

None

Contains

Benzyl salicylate\*

Linalool\*: May produce an allergic reaction.

Linalyl acetate, NNI: May produce an allergic reaction.

Cedryl methyl ether, NNI: May produce an allergic reaction.

Ethyl linalool, NNI: May produce an allergic reaction.

Citrus Sinensis peel oil expressed (Brasil), PPAI: May produce an allergic reaction.

Citrus Aurantium Dulcis peel extract (Sicily - Italy), PPAI: May produce an allergic reaction.

Citronellol\*: May produce an allergic reaction.

Coumarin\*: May produce an allergic reaction.

Methyl 2,6,10-trimethylcyclododeca-2,5,9-trienyl ketone, NNI: May produce an allergic reaction.

Dihydro pentamethylindanone, NNI: May produce an allergic reaction.

Tetramethyl acetyloctahydronaphthalenes (OTNE), NNI: May produce an allergic reaction.

Schinus Molle oil (South America), PPAI: May produce an allergic reaction.

Methyl dihydroxy dimethylbenzoate, NNI: May produce an allergic reaction.

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

### 2.3. Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards:

No other hazards

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substances

N.A.

### 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

PPAI – Physical processed agroingredients or natural raw materials and solvents

CPAI – Chemically processed agroingredients or natural molecules

NNI – Non natural ingredients (chemical origin)

\* - allergenic substances of synthetic origin (NNI) according to Reg. 1223/2009

N° of REACH registration:

yy-xxxxxxxx-yy->xxxx – registered substance

00-0000000000-00->1ty – exempt from registration (manufactured/imported <1ton/year)



































00-0000000000-00-mixt – exempt from registration (blending product)




00-0000000000-00-food – exempt from registration (food additive/ flavor)

00-0000000000-00-NCS\* – exempt from registration (substance content in low concentration in Natural complex product, essential oils, resins, absolute...)

Qty	Name	Ident. Number	Classification
>= 50% - < 60%	Dipropylene glycol, NNI	CAS: 25265-71-8 EC: 246-770-3 REACH No.: 01-2119456811-38-xxxx	The product is not classified as hazardous according to Regulation EC 1272/2008 (CLP).
>= 3% - < 5%	Benzyl salicylate*	Index number: 607-754-00-5 CAS: 118-58-1 EC: 204-262-9 REACH No.: 01-2119969442-31-xxxx	⚠ 3.4.2/1B Skin Sens. 1B H317 ⚠ 3.3/2 Eye Irrit. 2 H319 4.1/C3 Aquatic Chronic 3 H412
>= 3% - < 5%	Hexamethylindanopyran, NNI	CAS: 1222-05-5 EC: 214-946-9 REACH No.: 01-2119488227-29-xxxx	⚠ 4.1/A1 Aquatic Acute 1 H400 ⚠ 4.1/C1 Aquatic Chronic 1 H410
>= 1% - < 3%	Diethyl phthalate, NNI	CAS: 84-66-2 EC: 201-550-6 REACH No.: 01-2119486682-27-xxxx	The product is not classified as hazardous according to Regulation EC 1272/2008 (CLP).

>= 1% - < 3%	Linalool*	CAS: EC: REACH No.:	78-70-6 201-134-4 01-2119474016-42-xxxx	⚠ 3.4.2/1B Skin Sens. 1B H317
>= 1% - < 3%	Linalyl acetate, NNI	CAS: EC: REACH No.:	115-95-7 204-116-4 01-2119454789-19-xxxx	⚠ 3.2/2 Skin Irrit. 2 H315 ⚠ 3.4.2/1B Skin Sens. 1B H317 ⚠ 3.3/2 Eye Irrit. 2 H319
>= 1% - < 3%	Cedryl methyl ether, NNI	CAS: EC: REACH No.:	19870-74-7 243-384-7 01-2120228335-61-xxxx	⚠ 3.4.2/1B Skin Sens. 1B H317 ⚠ 4.1/A1 Aquatic Acute 1 H400 M=1. ⚠ 4.1/C1 Aquatic Chronic 1 H410 M=1.
>= 1% - < 3%	beta-Ionone, NNI	CAS: EC: REACH No.:	14901-07-6 238-969-9 01-2119937833-30-xxxx	⚠ 4.1/C2 Aquatic Chronic 2 H411
>= 1% - < 3%	Ethyl maltol, NNI	CAS: EC: REACH No.:	4940-11-8 225-582-5 01-2120758795-36-xxxx	⚠ 3.1/4/Oral Acute Tox. 4 H302
>= 1% - < 3%	Ethyl vanillin, NNI	CAS: EC: REACH No.:	121-32-4 204-464-7 01-2119958961-24-xxxx	⚠ 3.3/2 Eye Irrit. 2 H319
>= 1% - < 3%	Ethyl linalool, NNI	CAS: EC: REACH No.:	10339-55-6 233-732-6 01-2119969272-32-xxxx	⚠ 3.2/2 Skin Irrit. 2 H315 ⚠ 3.4.2/1B Skin Sens. 1B H317 ⚠ 3.3/2 Eye Irrit. 2 H319
>= 1% - < 3%	Citrus Sinensis peel oil expressed (Brasil), PPAI	CAS: EC: REACH No.:	8028-48-6 232-433-8 01-2119493353-35-xxxx	⚠ 2.6/3 Flam. Liq. 3 H226 ⚠ 3.10/1 Asp. Tox. 1 H304 ⚠ 3.2/2 Skin Irrit. 2 H315 ⚠ 3.4.2/1 Skin Sens. 1 H317 ⚠ 4.1/C2 Aquatic Chronic 2 H411
>= 1% - < 3%	Triethyl citrate (E1505), CPAI	CAS: EC: REACH No.:	77-93-0 201-070-7 01-2119955435-32-xxxx	The product is not classified as hazardous according to Regulation EC 1272/2008 (CLP).
>= 1% - < 3%	Tetrahydro-methyl-(methylpropyl)-pyranol, NNI	CAS: EC: REACH No.:	63500-71-0 405-040-6 01-2119455547-30-xxxx	⚠ 3.3/2 Eye Irrit. 2 H319
>= 1% - < 3%	Ethoxydiglycol, NNI	CAS: EC: REACH No.:	111-90-0 203-919-7 01-2119475105-42-xxxx	The product is not classified as hazardous according to Regulation EC 1272/2008 (CLP).
>= 1% - < 3%	2,6-Dimethyl-7-octen-2-ol, NNI	CAS: EC: REACH No.:	18479-58-8 242-362-4 01-2119457274-37-xxxx	⚠ 3.8/3 STOT SE 3 H336 ⚠ 3.2/2 Skin Irrit. 2 H315 ⚠ 3.3/2 Eye Irrit. 2 H319
>= 1% - < 3%	Citrus Aurantium Dulcis peel	CAS:	8028-48-6	⚠ 2.6/3 Flam. Liq. 3 H226

	extract (Sicily - Italy), PPAI	EC:	232-433-8	 3.10/1 Asp. Tox. 1 H304  3.2/2 Skin Irrit. 2 H315  3.4.2/1 Skin Sens. 1 H317  4.1/C2 Aquatic Chronic 2 H411
>= 0,5% - < 1%	Citronellol*	CAS: EC: REACH No.:	106-22-9 203-375-0 01-2119453995-23-xxxx	 3.2/2 Skin Irrit. 2 H315  3.4.2/1B Skin Sens. 1B H317  3.3/2 Eye Irrit. 2 H319
>= 0,5% - < 1%	Methyl 2,6,10-trimethylcyclododeca-2,5,9-trienyl ketone, NNI	CAS: EC: REACH No.:	144020-22-4 482-330-9 01-2119445291-45-xxxx	 3.4.2/1B Skin Sens. 1B H317  4.1/A1 Aquatic Acute 1 H400 M=1.  4.1/C1 Aquatic Chronic 1 H410 M=1.
>= 0,5% - < 1%	Coumarin*	CAS: EC: REACH No.:	91-64-5 202-086-7 01-2119949300-45-xxxx	 3.1/4/Oral Acute Tox. 4 H302  3.4.2/1 Skin Sens. 1 H317  4.1/C3 Aquatic Chronic 3 H412
>= 0,25% - < 0,5%	Pogostemon Cablin leaf oil, iron free (Indonesia), PPAI	CAS: EC: REACH No.:	84238-39-1 947-393-3 01-2120763404-56-xxxx	 3.10/1 Asp. Tox. 1 H304  3.3/2 Eye Irrit. 2 H319
>= 0,1% - < 0,25%	BHT (Butyl hydroxytoluene), NNI	CAS: EC: REACH No.:	128-37-0 204-881-4 01-2119565113-46-xxxx	 4.1/A1 Aquatic Acute 1 H400 M=1.  4.1/C1 Aquatic Chronic 1 H410 M=1.
>= 0,1% - < 0,25%	Dihydro pentamethylindanone, NNI	CAS: EC: REACH No.:	33704-61-9 251-649-3 01-2119977131-40-xxxx	 3.2/2 Skin Irrit. 2 H315  3.4.2/1B Skin Sens. 1B H317  3.3/2 Eye Irrit. 2 H319  4.1/C2 Aquatic Chronic 2 H411 M=1.
>= 0,1% - < 0,25%	Tetramethyl acetyloctahydronaphthalenes (OTNE), NNI	CAS: EC: REACH No.:	54464-57-2 915-730-3 01-2119489989-04-xxxx	 3.2/2 Skin Irrit. 2 H315  3.4.2/1B Skin Sens. 1B H317  4.1/C2 Aquatic Chronic 2 H411
>= 0,1% - < 0,25%	Schinus Molle oil (South America), PPAI	CAS: EC: REACH No.:	94334-31-3 305-104-2 01-2120770926-41-xxxx	 2.6/3 Flam. Liq. 3 H226  3.10/1 Asp. Tox. 1 H304  3.2/2 Skin Irrit. 2 H315  3.4.2/1B Skin Sens. 1B H317  4.1/C2 Aquatic Chronic 2 H411
>= 0,1% - < 0,25%	Methyl dihydroxy dimethylbenzoate, NNI	CAS: EC: REACH No.:	4707-47-5 225-193-0 01-2120762759-36-xxxx	 3.4.2/1B Skin Sens. 1B H317
240 ppm	Terpineol, CPAI	CAS: EC: REACH No.:	8000-41-7 701-188-3 01-2119553062-49-xxxx	 3.2/2 Skin Irrit. 2 H315  3.3/2 Eye Irrit. 2 H319
120 ppm	Citrus Nobilis peel oil (Sicily - Italia), PPAI	CAS: EC:	84929-38-4 284-521-0	 2.6/3 Flam. Liq. 3 H226  3.10/1 Asp. Tox. 1 H304

		REACH No.:	01-2120074120-72- xxxx	 3.2/2 Skin Irrit. 2 H315  3.4.2/1 Skin Sens. 1 H317  4.1/C2 Aquatic Chronic 2 H411
--	--	------------	---------------------------	---

---

**SECTION 4: FIRST AID MEASURES**
**4.1. Description of first aid measures**

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, remove contact lenses, if present and easy to do. Rinse with water with the eyelids open for a sufficient length of time. Following this, protect the eyes with sterile gauze or a clean, dry, handkerchief. Do not use eyewash or ointment of any kind before consult an ophthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

**4.2. Most important symptoms and effects, both acute and delayed**

None

**4.3. Indication of any immediate medical attention and special treatment needed**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

None

---

**SECTION 5: FIREFIGHTING MEASURES**
**5.1. Extinguishing media**

Suitable extinguishing media:

Carbon dioxide (CO<sub>2</sub>).

Extinguishing media which must not be used for safety reasons:

None in particular.

**5.2. Special hazards arising from the substance or mixture**

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

**5.3. Advice for firefighters**

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

---

**SECTION 6: ACCIDENTAL RELEASE MEASURES**
**6.1 Daily individual protection:**

Safety glasses (EN 166:2001) and gloves.

Respiratory mask with filter ABEK (EN14387), if adoperate the product in powder form.

Remove all sources of ignition.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Provide adequate ventilation.

**6.2. Personal precautions, protective equipment and emergency procedures**

For non emergency personnel:

- Wear personal protection equipment.
- Remove persons to safety.
- See protective measures under point 7 and 8.

For emergency responders:

- Wear personal protection equipment.

**6.3. Environmental precautions**

- Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.
- Retain contaminated washing water and dispose it.
- In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.
- Suitable material for taking up: absorbing material, organic, sand

**6.4. Methods and material for containment and cleaning up**

Wash with plenty of water.

**6.5. Reference to other sections**

See also section 8 and 13

**SECTION 7: HANDLING AND STORAGE****7.2. Precautions for safe handling**

- Avoid contact with skin and eyes, inhalation of vapours and mists.
- Don't use empty container before they have been cleaned.
- Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.
- Contaminated clothing should be changed before entering eating areas.
- Do not eat or drink while working.
- See also section 8 for recommended protective equipment.

**7.2. Conditions for safe storage, including any incompatibilities**

INSTRUCTIONS AS REGARDS STORAGE PERMISES:

Dry, cool and well ventilated areas, not exposed to direct sunlight. Safety electric system.

CONSERVATION:

Keep this product not more than 12 months, in the containers tightly closed and full, from 4°C to 20°C. Avoid direct exposure to sunlight, in a well ventilated, dry place, away from unguarded flame and heat sources.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

**7.3. Specific end use(s)**

Concentrated product only for industrial use.

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters**

- OEL Type: ACGIH - TWA(8h): 5 mg/m<sup>3</sup> - Notes: A4 - URT irr

BHT (Butyl hydroxytoluene), NNI - CAS: 128-37-0

- OEL Type: ACGIH - TWA(8h): 2 mg/m<sup>3</sup> - Notes: (IFV), A4 - URT irr

**DNEL Exposure Limit Values**

Dipropylene glycol, NNI - CAS: 25265-71-8

Worker Industry: 238 mg/m<sup>3</sup> - Consumer: 70 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Long Term, systemic effects - Notes: ECHA

Worker Industry: 84 mg/kg - Consumer: 51 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects - Notes: ECHA

Consumer: 24 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects - Notes: ECHA

Benzyl salicylate\* - CAS: 118-58-1

Worker Industry: 3.17 mg/m<sup>3</sup> - Consumer: 0.78 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Long Term, systemic effects - Notes: ECHA

Worker Industry: 0.9 mg/kg - Consumer: 0.45 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects - Notes: ECHA

Consumer: 0.45 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects - Notes: ECHA

Hexamethylindanopyran, NNI - CAS: 1222-05-5  
 Worker Industry: 13.5 mg/m<sup>3</sup> - Consumer: 4.0 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Long Term, systemic effects - Notes: ECHA  
 Worker Industry: 36.37 mg/kg - Consumer: 22 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects - Notes: ECHA  
 Consumer: 2.3 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects - Notes: ECHA

Diethyl phthalate, NNI - CAS: 84-66-2  
 Worker Industry: 10.56 mg/m<sup>3</sup> - Consumer: 2.6 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Long Term, systemic effects - Notes: ECHA  
 Worker Industry: 15 mg/kg - Consumer: 7.5 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects - Notes: ECHA  
 Consumer: 0.75 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects - Notes: ECHA

Linalool\* - CAS: 78-70-6  
 Worker Industry: 2.8 mg/m<sup>3</sup> - Consumer: 0.7 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Long Term, systemic effects - Notes: ECHA  
 Worker Industry: 2.5 mg/kg - Consumer: 1.25 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects - Notes: ECHA  
 Consumer: 0.2 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects - Notes: ECHA  
 mg/kg - Exposure: Eyes - Frequency: Long Term, systemic effects - Notes: ECHA

Linalyl acetate, NNI - CAS: 115-95-7  
 Worker Industry: 2.75 mg/m<sup>3</sup> - Consumer: 0.680 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Long Term, systemic effects - Notes: ECHA  
 Worker Industry: 2.5 mg/kg - Consumer: 14.25 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects - Notes: ECHA  
 Consumer: 0.200 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects - Notes: ECHA

Cedryl methyl ether, NNI - CAS: 19870-74-7  
 Worker Industry: 16.1 mg/m<sup>3</sup> - Consumer: 4.7 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Long Term, systemic effects - Notes: ECHA  
 Worker Industry: 4.5 mg/kg - Consumer: 2.7 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects - Notes: ECHA  
 Consumer: 2.7 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects - Notes: ECHA

beta-Ionone, NNI - CAS: 14901-07-6  
 mg/m<sup>3</sup> mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Long Term, systemic effects - Notes: ECHA  
 mg/kg mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects - Notes: ECHA  
 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects - Notes: ECHA

Ethyl maltol, NNI - CAS: 4940-11-8  
 Worker Industry: 19.7 mg/m<sup>3</sup> - Consumer: 3.48 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Long Term, systemic effects - Notes: ECHA  
 Worker Industry: 5.6 mg/kg - Consumer: 2 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects - Notes: ECHA  
 Consumer: 2 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects - Notes: ECHA

Ethyl vanillin, NNI - CAS: 121-32-4  
 Worker Industry: 49 mg/m<sup>3</sup> - Consumer: 8.75 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Long Term, systemic effects - Notes: ECHA  
 Worker Industry: 7 mg/kg - Consumer: 2.50 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects - Notes: ECHA  
 Consumer: 2.50 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects - Notes: ECHA

Ethyl linalool, NNI - CAS: 10339-55-6  
 Worker Industry: 3 mg/m<sup>3</sup> - Consumer: 0.740 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Long Term, systemic effects - Notes: ECHA  
 Worker Industry: 2.7 mg/kg - Consumer: 1.4 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects - Notes: ECHA  
 Consumer: 0.200 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects - Notes: ECHA

Citrus Sinensis peel oil expressed (Brasil), PPAI - CAS: 8028-48-6  
 Worker Industry: 31.1 mg/m<sup>3</sup> - Consumer: 7.78 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Long Term, systemic effects - Notes: ECHA  
 Worker Industry: 8.89 mg/kg - Consumer: 4.44 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects - Notes: ECHA  
 Consumer: 4.44 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects - Notes: ECHA

Triethyl citrate (E1505), CPAI - CAS: 77-93-0  
 Worker Industry: 73.5 mg/m<sup>3</sup> - Consumer: 28.8 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Long Term, systemic effects - Notes: ECHA  
 Worker Industry: 20.8 mg/kg - Consumer: 12.5 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects - Notes: ECHA  
 Consumer: 12.5 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects - Notes: ECHA

Tetrahydro-methyl-(methylpropyl)-pyranol, NNI - CAS: 63500-71-0  
 Worker Industry: 44.1 mg/m<sup>3</sup> - Consumer: 13 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Long Term, systemic effects - Notes: ECHA  
 Worker Industry: 41.7 mg/kg - Consumer: 25 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects - Notes: ECHA  
 Consumer: 7.5 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects - Notes: ECHA

Ethoxydiglycol, NNI - CAS: 111-90-0  
 Worker Industry: 61 mg/m<sup>3</sup> - Consumer: 37 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Long Term, systemic effects - Notes: ECHA  
 Worker Industry: 83 mg/kg - Consumer: 25 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects - Notes: ECHA  
 Consumer: 50 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects - Notes: ECHA

2,6-Dimethyl-7-octen-2-ol, NNI - CAS: 18479-58-8  
 Worker Industry: 73.5 mg/m<sup>3</sup> - Consumer: 21.7 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Long Term, systemic effects - Notes: ECHA  
 Worker Industry: 20.8 mg/kg - Consumer: 12.5 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects - Notes: ECHA  
 Consumer: 12.5 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects - Notes: ECHA

Citrus Aurantium Dulcis peel extract (Sicily - Italy), PPAI - CAS: 8028-48-6  
 Worker Industry: 31.1 mg/m<sup>3</sup> - Consumer: 7.78 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Long Term, systemic effects - Notes: ECHA  
 Worker Industry: 8.89 mg/kg - Consumer: 4.44 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects - Notes: ECHA  
 Consumer: 4.44 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects - Notes: ECHA



## Citronellol\* - CAS: 106-22-9

Worker Industry: 161.6 mg/m<sup>3</sup> - Consumer: 47.8 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Long Term, systemic effects - Notes: ECHA

Worker Industry: 327.4 mg/kg - Consumer: 196.4 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects - Notes: ECHA

Consumer: 13.8 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects - Notes: ECHA

## Coumarin\* - CAS: 91-64-5

Worker Industry: 6.78 mg/m<sup>3</sup> - Consumer: 1.69 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Long Term, systemic effects - Notes: ECHA

Worker Industry: 0.79 mg/kg - Consumer: 0.39 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects - Notes: ECHA

Consumer: 0.30 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects - Notes: ECHA

## Dihydro pentamethylindanone, NNI - CAS: 33704-61-9

Worker Industry: 1.47 mg/m<sup>3</sup> - Consumer: 0.440 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Long Term, systemic effects - Notes: ECHA

Worker Industry: 0.420 mg/kg - Consumer: 0.250 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects - Notes: ECHA

Consumer: 0.250 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects - Notes: ECHA

## Methyl dihydroxy dimethylbenzoate, NNI - CAS: 4707-47-5

Consumer: 1.25 mg/kg - Exposure: Human Dermal - Frequency: Long Term, local effects - Notes: ECHA

## Terpineol, CPAI - CAS: 8000-41-7

Worker Industry: 44.8 mg/m<sup>3</sup> - Consumer: 7.96 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Long Term, systemic effects - Notes: ECHA

Worker Industry: 6.36 mg/kg - Consumer: 2.69 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects - Notes: ECHA

Consumer: 2.69 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects - Notes: ECHA

## Citrus Nobilis peel oil (Sicily - Italia), PPAI - CAS: 84929-38-4

Worker Industry: 23.3 mg/m<sup>3</sup> - Consumer: 5.8 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Long Term, systemic effects - Notes: ECHA

Worker Industry: 6.67 mg/kg - Consumer: 3.33 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects - Notes: ECHA

Consumer: 3.33 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects - Notes: ECHA

**PNEC Exposure Limit Values**

## Dipropylene glycol, NNI - CAS: 25265-71-8

Target: Fresh Water - Value: 100 ug/l - Notes: ECHA

Target: Marine water - Value: 10 ug/l - Notes: ECHA

Target: Microorganisms in sewage treatments - Value: 1000 mg/l - Notes: ECHA

Target: Freshwater sediments - Value: 238 ug/l - Notes: ECHA

Target: Marine water sediments - Value: 23 ug/l - Notes: ECHA

Target: Soil (agricultural) - Value: 25.3 ug/l - Notes: ECHA

Target: Predators - Value: 313 mg/kg - Notes: ECHA

## Benzyl salicylate\* - CAS: 118-58-1

Target: Fresh Water - Value: 1.03 ug/l - Notes: ECHA

Target: Marine water - Value: 0.103 ug/l - Notes: ECHA

Target: Microorganisms in sewage treatments - Value: 10 mg/l - Notes: ECHA

Target: Freshwater sediments - Value: 583 ug/l - Notes: ECHA

Target: Marine water sediments - Value: 58.3 ug/l - Notes: ECHA

## Hexamethylindanopyran, NNI - CAS: 1222-05-5

Target: Fresh Water - Value: 6.8 ug/l - Notes: ECHA

Target: Marine water - Value: 0.44 ug/l - Notes: ECHA

Target: Microorganisms in sewage treatments - Value: 1 mg/l - Notes: ECHA

Target: Freshwater sediments - Value: 2 ug/l - Notes: ECHA

Target: Marine water sediments - Value: 0.394 ug/l - Notes: ECHA

Target: Soil (agricultural) - Value: 1500 ug/l - Notes: ECHA

Target: Predators - Value: 20.4 mg/l - Notes: ECHA

## Diethyl phthalate, NNI - CAS: 84-66-2

Target: Fresh Water - Value: 12 ug/l - Notes: ECHA

Target: Marine water - Value: 1.2 ug/l - Notes: ECHA

Target: Microorganisms in sewage treatments - Value: 2 mg/l - Notes: ECHA

Target: Freshwater sediments - Value: 137 ug/l - Notes: ECHA

Target: Marine water sediments - Value: 13.7 ug/l - Notes: ECHA

Target: Soil (agricultural) - Value: 137 ug/l - Notes: ECHA

Target: Predators - Value: 33 mg/kg - Notes: ECHA

## Linalool\* - CAS: 78-70-6

Target: Fresh Water - Value: 200 ug/l - Notes: ECHA

Target: Marine water - Value: 20 ug/l - Notes: ECHA

Target: Microorganisms in sewage treatments - Value: 10 mg/l - Notes: ECHA

Target: Freshwater sediments - Value: 2220 ug/l - Notes: ECHA

Target: Marine water sediments - Value: 222 ug/l - Notes: ECHA

Target: Soil (agricultural) - Value: 327 ug/l - Notes: ECHA  
Target: Predators - Value: 7.8 mg/kg - Notes: ECHA

Linalyl acetate, NNI - CAS: 115-95-7  
Target: Fresh Water - Value: 11 ug/l - Notes: ECHA  
Target: Marine water - Value: 1.1 ug/l - Notes: ECHA  
Target: Microorganisms in sewage treatments - Value: 10 mg/l - Notes: ECHA  
Target: Freshwater sediments - Value: 609 ug/l - Notes: ECHA  
Target: Marine water sediments - Value: 60.9 ug/l - Notes: ECHA  
Target: Soil (agricultural) - Value: 115 ug/l - Notes: ECHA

Cedryl methyl ether, NNI - CAS: 19870-74-7  
Target: Fresh Water - Value: 0.430 ug/l - Notes: ECHA  
Target: Marine water - Value: 0.043 ug/l - Notes: ECHA  
Target: Microorganisms in sewage treatments - Value: 100 mg/l - Notes: ECHA  
Target: Freshwater sediments - Value: 1290 ug/l - Notes: ECHA  
Target: Marine water sediments - Value: 129 ug/l - Notes: ECHA  
Target: Soil (agricultural) - Value: 257 ug/l - Notes: ECHA

beta-Ionone, NNI - CAS: 14901-07-6  
Target: Fresh Water - Value: 1.46 ug/l - Notes: ECHA  
Target: Marine water - Value: 0.146 ug/l - Notes: ECHA  
Target: Microorganisms in sewage treatments - Value: 42.8 mg/l - Notes: ECHA  
Target: Freshwater sediments - Value: 22.451 ug/l - Notes: ECHA  
Target: Marine water sediments - Value: 22.451 ug/l - Notes: ECHA  
Target: Soil (agricultural) - Value: 10.466 ug/l - Notes: ECHA

Ethyl maltol, NNI - CAS: 4940-11-8  
Target: Fresh Water - Value: 7.2 ug/l - Notes: ECHA  
Target: Marine water - Value: 0.720 ug/l - Notes: ECHA  
Target: Microorganisms in sewage treatments - Value: 1.55 mg/l - Notes: ECHA  
Target: Freshwater sediments - Value: 169 ug/l - Notes: ECHA  
Target: Marine water sediments - Value: 16.9 ug/l - Notes: ECHA  
Target: Soil (agricultural) - Value: 49 ug/l - Notes: ECHA

Ethyl vanillin, NNI - CAS: 121-32-4  
Target: Fresh Water - Value: 118 ug/l - Notes: ECHA  
Target: Marine water - Value: 11.8 ug/l - Notes: ECHA  
Target: Microorganisms in sewage treatments - Value: 10 mg/l - Notes: ECHA  
Target: Freshwater sediments - Value: 15 ug/l - Notes: ECHA  
Target: Marine water sediments - Value: 1.5 ug/l - Notes: ECHA  
Target: Soil (agricultural) - Value: 2923 ug/l - Notes: ECHA

Ethyl linalool, NNI - CAS: 10339-55-6  
Target: Fresh Water - Value: 23 ug/l - Notes: ECHA  
Target: Marine water - Value: 2.3 ug/l - Notes: ECHA  
Target: Microorganisms in sewage treatments - Value: 10 mg/l - Notes: ECHA  
Target: Freshwater sediments - Value: 223 ug/l - Notes: ECHA  
Target: Marine water sediments - Value: 22.3 ug/l - Notes: ECHA  
Target: Soil (agricultural) - Value: 31 ug/l - Notes: ECHA  
Target: Predators - Value: 8.53 mg/kg - Notes: ECHA

Citrus Sinensis peel oil expressed (Brasil), PPAI - CAS: 8028-48-6  
Target: Fresh Water - Value: 5.4 ug/l - Notes: ECHA  
Target: Marine water - Value: 0.540 ug/l - Notes: ECHA  
Target: Microorganisms in sewage treatments - Value: 2.1 mg/l - Notes: ECHA  
Target: Freshwater sediments - Value: 1300 ug/l - Notes: ECHA  
Target: Marine water sediments - Value: 130 ug/l - Notes: ECHA  
Target: Soil (agricultural) - Value: 261 ug/l - Notes: ECHA

Triethyl citrate (E1505), CPAI - CAS: 77-93-0  
Target: Fresh Water ug/l - Notes: ECHA  
Target: Marine water ug/l - Notes: ECHA  
Target: Microorganisms in sewage treatments mg/l - Notes: ECHA  
Target: Freshwater sediments - Value: 124 ug/l - Notes: ECHA  
Target: Marine water sediments - Value: 18 ug/l - Notes: ECHA  
Target: Soil (agricultural) - Value: 490 ug/l - Notes: ECHA  
Target: Predators - Value: 222.22 mg/kg - Notes: ECHA

Tetrahydro-methyl-(methylpropyl)-pyranol, NNI - CAS: 63500-71-0

Target: Fresh Water - Value: 94 ug/l - Notes: ECHA  
Target: Marine water - Value: 9.4 ug/l - Notes: ECHA  
Target: Microorganisms in sewage treatments - Value: 10 mg/l - Notes: ECHA  
Target: Freshwater sediments - Value: 412 ug/l - Notes: ECHA  
Target: Marine water sediments - Value: 41.2 ug/l - Notes: ECHA  
Target: Soil (agricultural) - Value: 90.2 ug/l - Notes: ECHA

Ethoxydiglycol, NNI - CAS: 111-90-0  
Target: Fresh Water - Value: 1980 ug/l - Notes: ECHA  
Target: Marine water - Value: 198 ug/l - Notes: ECHA  
Target: Microorganisms in sewage treatments - Value: 500 mg/l - Notes: ECHA  
Target: Freshwater sediments - Value: 7320 ug/l - Notes: ECHA  
Target: Marine water sediments - Value: 732 ug/l - Notes: ECHA  
Target: Soil (agricultural) - Value: 340 ug/l - Notes: ECHA  
Target: Predators - Value: 444 mg/kg - Notes: ECHA

2,6-Dimethyl-7-octen-2-ol, NNI - CAS: 18479-58-8  
Target: Fresh Water - Value: 27.8 ug/l - Notes: ECHA  
Target: Marine water - Value: 2.78 ug/l - Notes: ECHA  
Target: Microorganisms in sewage treatments - Value: 10 mg/l - Notes: ECHA  
Target: Freshwater sediments - Value: 594 ug/l - Notes: ECHA  
Target: Marine water sediments - Value: 59.4 ug/l - Notes: ECHA  
Target: Soil (agricultural) - Value: 103 ug/l - Notes: ECHA  
Target: Predators - Value: 111 mg/kg - Notes: ECHA

Citrus Aurantium Dulcis peel extract (Sicily - Italy), PPAI - CAS: 8028-48-6  
Target: Fresh Water - Value: 5.4 ug/l - Notes: ECHA  
Target: Marine water - Value: 0.540 ug/l - Notes: ECHA  
Target: Microorganisms in sewage treatments - Value: 2.1 mg/l - Notes: ECHA  
Target: Freshwater sediments - Value: 1300 ug/l - Notes: ECHA  
Target: Marine water sediments - Value: 130 ug/l - Notes: ECHA  
Target: Soil (agricultural) - Value: 261 ug/l - Notes: ECHA

Citronellol\* - CAS: 106-22-9  
Target: Fresh Water - Value: 2.4 ug/l - Notes: ECHA  
Target: Marine water - Value: 0.24 ug/l - Notes: ECHA  
Target: Microorganisms in sewage treatments - Value: 580 mg/l - Notes: ECHA  
Target: Freshwater sediments - Value: 25.6 ug/l - Notes: ECHA  
Target: Marine water sediments - Value: 2.56 ug/l - Notes: ECHA  
Target: Soil (agricultural) - Value: 3.71 ug/l - Notes: ECHA  
Target: Predators mg/kg - Notes: ECHA

Coumarin\* - CAS: 91-64-5  
Target: Fresh Water - Value: 19 ug/l - Notes: ECHA  
Target: Marine water - Value: 1.9 ug/l - Notes: ECHA  
Target: Microorganisms in sewage treatments - Value: 6.4 mg/l - Notes: ECHA  
Target: Freshwater sediments - Value: 150 ug/kg - Notes: ECHA  
Target: Marine water sediments - Value: 15 ug/kg - Notes: ECHA  
Target: Soil (agricultural) - Value: 18 ug/kg - Notes: ECHA  
Target: Predators - Value: 30.7 mg/kg - Notes: ECHA

Dihydro pentamethylindanone, NNI - CAS: 33704-61-9  
Target: Fresh Water - Value: 4 ug/l - Notes: ECHA  
Target: Marine water - Value: 0.4 ug/l - Notes: ECHA  
Target: Microorganisms in sewage treatments - Value: 10 mg/l - Notes: ECHA  
Target: Freshwater sediments - Value: 99.1 ug/l - Notes: ECHA  
Target: Marine water sediments - Value: 9.91 ug/l - Notes: ECHA  
Target: Soil (agricultural) - Value: 17.4 ug/l - Notes: ECHA  
Target: Predators - Value: 1.11 mg/kg - Notes: ECHA

Methyl dihydroxy dimethylbenzoate, NNI - CAS: 4707-47-5  
Target: Fresh Water - Value: 3.3 ug/l - Notes: ECHA  
Target: Marine water - Value: 0.33 ug/l - Notes: ECHA  
Target: Microorganisms in sewage treatments - Value: 10 mg/l - Notes: ECHA  
Target: Freshwater sediments - Value: 89 ug/l - Notes: ECHA  
Target: Marine water sediments - Value: 8.9 ug/l - Notes: ECHA  
Target: Soil (agricultural) - Value: 16 ug/l - Notes: ECHA

Terpineol, CPAI - CAS: 8000-41-7

Target: Fresh Water - Value: 12 ug/l - Notes: ECHA  
 Target: Marine water - Value: 1.2 ug/l - Notes: ECHA  
 Target: Microorganisms in sewage treatments - Value: 2.57 mg/l - Notes: ECHA  
 Target: Freshwater sediments - Value: 263 ug/l - Notes: ECHA  
 Target: Marine water sediments - Value: 26.3 ug/l - Notes: ECHA  
 Target: Soil (agricultural) - Value: 45.5 ug/l - Notes: ECHA  
 Target: Predators - Value: 16.6 mg/kg - Notes: ECHA

Citrus Nobilis peel oil (Sicily - Italia), PPAI - CAS: 84929-38-4

Target: Fresh Water - Value: 5.4 ug/l - Notes: ECHA  
 Target: Marine water - Value: 0.54 ug/l - Notes: ECHA  
 Target: Microorganisms in sewage treatments - Value: 2.1 mg/l - Notes: ECHA  
 Target: Freshwater sediments - Value: 1300 ug/l - Notes: ECHA  
 Target: Marine water sediments - Value: 130 ug/l - Notes: ECHA  
 Target: Soil (agricultural) - Value: 290 ug/l - Notes: ECHA

## 8.2. Exposure controls

Eye protection:

Use close fitting safety visor or safety glasses (EN 166:2001).

Protection for skin:

Use normal clothing that provides protection to the skin, e.g. cotton.

Protection for hands:

Use clothing that provides comprehensive protection to the skin, e.g. lactice, nitrilic and ect.

Respiratory protection:

Not needed for normal use.

Use multi-purpose combination respirator cartridge (US), type ABEK (EN14387) respirator filter when use powder or cristals substances.

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None

---

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Appearance:	clear liquid
Colour:	yellow
Odour:	sweet, fruity, flowery, vanille, ,, ,, ,, ,, ,
Relative density:	0.998 - 1.018 g/ml (25°C)
Refractive Index:	1.453 - 1.473 nD (25°C)
Solubility:	liposoluble (ethanol, oils and fats)
Flash point:	>61 °C
Melting point / freezing point:	N.A.
Initial boiling point and boiling range:	N.A.
Autoignition temperature:	N.A.
Solid/gas flammability:	N.A.
Explosive properties:	N.A.
Oxidizing properties:	N.A.
Vapour pressure:	N.A.
Partition coefficient (n-octanol/water):	N.A.
Vapour density:	N.A.
Viscosity:	N.A.
pH:	7.0 (+/- 0.5)
Alcoholic grade:	N.A.
Optical rotation:	N.A.

**9.2. Other information**

## Nutritional values

Energy value:	37 kJ/g = 9 kcal/g
Amino acids	0g Monounsaturated fats 0g
Ash:	0g Polyunsaturated fats 0g
Carbohydrates:	0g Protein: 0g
Fats:	0g Saturated fat: 0g
Fibers:	0g Sugars: 0g
Lipids:	0g Vitamins: 0mg
Minerals:	0mg Water: 0g

**SECTION 10: STABILITY AND REACTIVITY****10.1. Reactivity**

Stable under normal conditions

**10.2. Chemical stability**

Stable under normal conditions

**10.3. Possibility of hazardous reactions**

None

**10.4. Conditions to avoid**

Stable under normal conditions.

**10.5. Incompatible materials**

None in particular.

**10.6. Hazardous decomposition products**

None.

**SECTION 11: TOXICOLOGICAL INFORMATION****11.1. Information on toxicological effects**

Toxicological information of the product:

The toxicological data calculate based on the total formulation, taking into account the actual concentrations of the individual substances in order to assess toxicological effects resulting from exposure of human skin to the mix.

NOEL dermal (no observed effect level, human dermal): 1652 µg/cm<sup>2</sup>

Conversion info:

mg/kg=µg/cm<sup>2</sup> x 10/37 or 1µg/cm<sup>2</sup>=10mg/m<sup>2</sup>;

human: mg/kg x 37=mg/m<sup>2</sup>;

child: <20kg: mg/kg x 25=mg/m<sup>2</sup>

\*Date based on HED (human equivalent dose) U.S. Food & Drug Administration. Estimating the Safe Starting Dose in Clinical Trials for Therapeutics in Adult Healthy Volunteers.

**Toxicological information of the main substances found in the product:**

Methylidihydrojasmonate, NNI - CAS: 24851-98-7

Oral toxicity acute (OECD Test Guideline 401) - LD50: >5000 mg/kg

Repeated dose toxicity (OECD Test Guideline 407) - NOAEL: 100 mg/kg; LOAEL: n.a. mg/kg

Dermal toxicity - human (RIFM-Research Institute for Fragrance Materials or OECD Test Guideline 402):

NOEL (no observed effect level): >6000 µg/cm<sup>2</sup>

LOEL (lowest observed effect level): n.a. µg/cm<sup>2</sup>

NESIL (no expected sensitization induction level): n.a. µg/cm<sup>2</sup>

Skin corrosion/irritation (dermal)(HRIPT): not irritating

Skin sensitization (HRIPT): non sensitizing <20%

Eye: Irritation (ocular)(FHSA): non irritating

Inhalation toxicity (OECD Test Guideline 403): >4.93 mg/m<sup>3</sup>

Developmental NOAEL maternal: 80 mg/kg; NOAEL foetal: 120 mg/kg

Reproductive Toxicity NOAEL: n.a. mg/kg

Genotoxicity (in vivo): negative. Genotoxicity (in vitro): negative

Benzyl salicylate\* - CAS: 118-58-1

- Oral toxicity acute (OECD Test Guideline 401) - LD50: 2227 mg/kg
- Repeated dose toxicity (OECD Test Guideline 407) - NOAEL: 360 mg/kg; LOAEL: n/a mg/kg
- Dermal toxicity - human (RIFM-Research Institute for Fragrance Materials or OECD Test Guideline 407):
  - NOEL (no observed effect level): 2368 µg/cm<sup>2</sup>
  - LOEL (lowest observed effect level): n/a µg/cm<sup>2</sup>
  - NESIL (no expected sensitization induction level): 17700 µg/cm<sup>2</sup>
- Skin corrosion/irritation (dermal)(HRIPT): non irritant
- Skin sensitization (HRIPT): sensitizing
- Eye: Irritation (ocular)(FHSA): mildly irritant
- Inhalation toxicity (OECD Test Guideline 403): n/a mg/m<sup>3</sup>
- Developmental NOAEL maternal: 360 mg/kg; NOAEL foetal: 360 mg/kg
- Reproductive Toxicity NOAEL: 180 mg/kg
- Genotoxicity (in vivo): negative. Genotoxicity (in vitro): negative

Hexamethylindanopyran, NNI - CAS: 1222-05-5

- Oral toxicity acute (OECD Test Guideline 401) - LD50: 4640 mg/kg
- Repeated dose toxicity (OECD Test Guideline 407) - NOAEL: 150 mg/kg; LOAEL: 350 mg/kg
- Dermal toxicity - human (RIFM-Research Institute for Fragrance Materials or OECD Test Guideline 402):
  - NOEL (no observed effect level): 11840 µg/cm<sup>2</sup>
  - LOEL (lowest observed effect level): n/a µg/cm<sup>2</sup>
  - NESIL (no expected sensitization induction level): 11800 µg/cm<sup>2</sup>
- Skin corrosion/irritation (dermal)(HRIPT): not irritating
- Skin sensitization (HRIPT): non sensitizing
- Eye: Irritation (ocular)(FHSA): non irritating
- Inhalation toxicity (OECD Test Guideline 403): LC50 n/a mg/m<sup>3</sup>
- Developmental NOAEL maternal: 50 mg/kg; NOAEL foetal: 150 mg/kg
- Reproductive Toxicity NOAEL: 20 mg/kg
- Genotoxicity (in vivo): negative. Genotoxicity (in vitro): negative

Diethyl phthalate, NNI - CAS: 84-66-2

- Oral toxicity acute (OECD Test Guideline 401) - LD50: 8600 mg/kg
- Repeated dose toxicity (OECD Test Guideline 407) - NOAEL: 150 mg/kg; LOAEL: n/a mg/kg
- Dermal toxicity - human (RIFM-Research Institute for Fragrance Materials or OECD Test Guideline 407):
  - NOEL (no observed effect level): 12434 µg/cm<sup>2</sup>
  - LOEL (lowest observed effect level): n/a µg/cm<sup>2</sup>
  - NESIL (no expected sensitization induction level): 1000 µg/cm<sup>2</sup>
- Skin corrosion/irritation (dermal)(HRIPT): not irritating
- Skin sensitization (HRIPT): non sensitizing
- Eye: Irritation (ocular)(FHSA): irritating
- Inhalation toxicity (OECD Test Guideline 403): 511 mg/m<sup>3</sup>
- Developmental NOAEL maternal: <500 mg/kg; NOAEL foetal: 1600 mg/kg
- Reproductive Toxicity NOAEL: 15000 mg/kg
- Genotoxicity (in vivo): negative. Genotoxicity (in vitro): negative

Linalool\* - CAS: 78-70-6

- Oral toxicity acute (OECD Test Guideline 401) - LD50: 3500 mg/kg
- Repeated dose toxicity (OECD Test Guideline 407) - NOAEL: 160 mg/kg; LOAEL: n/a mg/kg
- Dermal toxicity - human (RIFM-Research Institute for Fragrance Materials or OECD Test Guideline 407):
  - NOEL (no observed effect level): 15000 µg/cm<sup>2</sup>
  - LOEL (lowest observed effect level): n/a µg/cm<sup>2</sup>
  - NESIL (no expected sensitization induction level): 15000 µg/cm<sup>2</sup>
- Skin corrosion/irritation (dermal)(HRIPT): irritating
- Skin sensitization (HRIPT): sensitizing
- Eye: Irritation (ocular)(FHSA): irritating
- Inhalation toxicity (OECD Test Guideline 403): n/a mg/m<sup>3</sup>
- Developmental NOAEL maternal: 500 mg/kg; NOAEL foetal: 1000 mg/kg
- Reproductive Toxicity NOAEL: 500 mg/kg
- Genotoxicity (in vivo): negative. Genotoxicity (in vitro): negative

Linalyl acetate, NNI - CAS: 115-95-7

- Oral toxicity acute (OECD Test Guideline 401) - LD50: 14550 mg/kg
- Repeated dose toxicity (OECD Test Guideline 407) - NOAEL: 160 mg/kg; LOAEL: 400 mg/kg
- Dermal toxicity - human (RIFM-Research Institute for Fragrance Materials or OECD Test Guideline 402):

NOEL (no observed effect level): 6000 µg/cm<sup>2</sup>  
 LOEL (lowest observed effect level): n.a. µg/cm<sup>2</sup>  
 NESIL (no expected sensitization induction level): n.a. µg/cm<sup>2</sup>  
 Skin corrosion/irritation (dermal)(HRIPT): not irritating  
 Skin sensitization (HRIPT): non sensitizing  
 Eye: Irritation (ocular)(FHSA): non irritating  
 Inhalation toxicity (OECD Test Guideline 403): LC50 n/a mg/m<sup>3</sup>  
 Developmental NOAEL maternal: 500 mg/kg; NOAEL foetal: 500 mg/kg  
 Reproductive Toxicity NOAEL: n.a. mg/kg  
 Genotoxicity (in vivo): negative. Genotoxicity (in vitro): negative

beta-Ionone, NNI - CAS: 14901-07-6

Oral toxicity acute (OECD Test Guideline 401) - LD50: 4950 mg/kg  
 Repeated dose toxicity (OECD Test Guideline 407) - NOAEL: n.a. mg/kg; LOAEL: n.a. mg/kg  
 Dermal toxicity - human (RIFM-Research Institute for Fragrance Materials or OECD Test Guideline 402):  
 NOEL (no observed effect level): 2600 µg/cm<sup>2</sup>  
 LOEL (lowest observed effect level): n.a. µg/cm<sup>2</sup>  
 NESIL (no expected sensitization induction level): n.a. µg/cm<sup>2</sup>  
 Skin corrosion/irritation (dermal)(HRIPT): not irritating  
 Skin sensitization (HRIPT): non sensitizing  
 Eye: Irritation (ocular)(FHSA): non irritating  
 Inhalation toxicity (OECD Test Guideline 403): n.a. mg/m<sup>3</sup>  
 Developmental NOAEL maternal: n.a. mg/kg; NOAEL foetal: 232 mg/kg  
 Reproductive Toxicity NOAEL: 750 mg/kg  
 Genotoxicity (in vivo): negative. Genotoxicity (in vitro): negative

Ethyl maltol, NNI - CAS: 4940-11-8

Oral toxicity acute (OECD Test Guideline 401) - LD50: 1220 mg/kg  
 Repeated dose toxicity (OECD Test Guideline 407) - NOAEL: n.a. mg/kg; LOAEL: n.a. mg/kg  
 Dermal toxicity - human (RIFM-Research Institute for Fragrance Materials or OECD Test Guideline 402):  
 NOEL (no observed effect level): 2650 µg/cm<sup>2</sup>  
 LOEL (lowest observed effect level): n.a. µg/cm<sup>2</sup>  
 NESIL (no expected sensitization induction level): n.a. µg/cm<sup>2</sup>  
 Skin corrosion/irritation (dermal)(HRIPT): not irritating  
 Skin sensitization (HRIPT): non sensitizing  
 Eye: Irritation (ocular)(FHSA): non irritating  
 Inhalation toxicity (OECD Test Guideline 403): LC50 n/a mg/m<sup>3</sup>  
 Developmental NOAEL maternal: n.a. mg/kg; NOAEL foetal: n.a. mg/kg  
 Reproductive Toxicity NOAEL: n.a. mg/kg  
 Genotoxicity (in vivo): negative. Genotoxicity (in vitro): negative

Ethyl vanillin, NNI - CAS: 121-32-4

Oral toxicity acute (OECD Test Guideline 401) - LD50: 3500 mg/kg  
 Repeated dose toxicity (OECD Test Guideline 407) - NOAEL: 1000 mg/kg; LOAEL: n.a. mg/kg  
 Dermal toxicity - human (RIFM-Research Institute for Fragrance Materials or OECD Test Guideline 431):  
 NOEL (no observed effect level): 9400 µg/cm<sup>2</sup>  
 LOEL (lowest observed effect level): n.a. µg/cm<sup>2</sup>  
 NESIL (no expected sensitization induction level): n.a. µg/cm<sup>2</sup>  
 Skin corrosion/irritation (dermal)(HRIPT): not irritating  
 Skin sensitization (HRIPT): non sensitizing  
 Eye: Irritation (ocular)(FHSA): serious irritating  
 Inhalation toxicity (OECD Test Guideline 403): n.a. mg/m<sup>3</sup>  
 Developmental NOAEL maternal: 250 mg/kg; NOAEL foetal: 500 mg/kg  
 Reproductive Toxicity NOAEL: n.a. mg/kg  
 Genotoxicity (in vivo): negative. Genotoxicity (in vitro): negative

Ethyl linalool, NNI - CAS: 10339-55-6

Oral toxicity acute (OECD Test Guideline 401) - LD50: 2790 mg/kg  
 Repeated dose toxicity (OECD Test Guideline 407) - NOAEL: 160 mg/kg; LOAEL: n.a. mg/kg  
 Dermal toxicity - human (RIFM-Research Institute for Fragrance Materials or OECD Test Guideline 402):  
 NOEL (no observed effect level): 6642 µg/cm<sup>2</sup>  
 LOEL (lowest observed effect level): n.a. µg/cm<sup>2</sup>  
 NESIL (no expected sensitization induction level): n.a. µg/cm<sup>2</sup>  
 Skin corrosion/irritation (dermal)(HRIPT): irritating  
 Skin sensitization (HRIPT): non sensitizing

Eye: Irritation (ocular)(FHSA): irritating  
 Inhalation toxicity (OECD Test Guideline 403): 3.2 mg/m<sup>3</sup>  
 Developmental NOAEL maternal: 500 mg/kg; NOAEL foetal: 1000 mg/kg  
 Reproductive Toxicity NOAEL: 500 mg/kg  
 Genotoxicity (in vivo): negative. Genotoxicity (in vitro): negative

Citrus Sinensis peel oil expressed (Brasil), PPAI - CAS: 8028-48-6  
 Oral toxicity acute (OECD Test Guideline 401) - LD50: >5000 mg/kg  
 Repeated dose toxicity (OECD Test Guideline 407) - NOAEL: 5 mg/kg; LOAEL: 30 mg/kg  
 Dermal toxicity - human (RIFM-Research Institute for Fragrance Materials or OECD Test Guideline 402):  
   NOEL (no observed effect level): 10600 µg/cm<sup>2</sup>  
   LOEL (lowest observed effect level): n/a µg/cm<sup>2</sup>  
   NESIL (no expected sensitization induction level): 10600 µg/cm<sup>2</sup>  
 Skin corrosion/irritation (dermal)(HRIPT): irritating  
 Skin sensitization (HRIPT): sensitizing @4%  
 Eye: Irritation (ocular)(FHSA): not irritating  
 Inhalation toxicity (OECD Test Guideline 403): LC50 n/a mg/m<sup>3</sup>  
 Developmental NOAEL maternal: 591 mg/kg; NOAEL foetal: 591 mg/kg  
 Reproductive Toxicity NOAEL: 1500 mg/kg  
 Genotoxicity (in vivo): negative. Genotoxicity (in vitro): negative

Triethyl citrate (E1505), CPAI - CAS: 77-93-0  
 Oral toxicity acute (OECD Test Guideline 401) - LD50: 4000 mg/kg  
 Repeated dose toxicity (OECD Test Guideline 407) - NOAEL: 1000 mg/kg; LOAEL: n/a mg/kg  
 Dermal toxicity - human (RIFM-Research Institute for Fragrance Materials or OECD Test Guideline 407):  
   NOEL (no observed effect level): 5920 µg/cm<sup>2</sup>  
   LOEL (lowest observed effect level): n/a µg/cm<sup>2</sup>  
   NESIL (no expected sensitization induction level): 5900 µg/cm<sup>2</sup>  
 Skin corrosion/irritation (dermal)(HRIPT): not irritating  
 Skin sensitization (HRIPT): sensitizing  
 Eye: Irritation (ocular)(FHSA): not irritating  
 Inhalation toxicity (OECD Test Guideline 403): 3500 mg/m<sup>3</sup>  
 Developmental NOAEL maternal: 50 mg/kg; NOAEL foetal: 250 mg/kg  
 Reproductive Toxicity NOAEL: 1000 mg/kg  
 Genotoxicity (in vivo): negative. Genotoxicity (in vitro): negative

Tetrahydro-methyl-(methylpropyl)-pyranol, NNI - CAS: 63500-71-0  
 Oral toxicity acute (OECD Test Guideline 401) - LD50: 2000 mg/kg  
 Repeated dose toxicity (OECD Test Guideline 407) - NOAEL: 125 mg/kg; LOAEL: n.a. mg/kg  
 Dermal toxicity - human (RIFM-Research Institute for Fragrance Materials or OECD Test Guideline 402):  
   NOEL (no observed effect level): 2368 µg/cm<sup>2</sup>  
   LOEL (lowest observed effect level): n.a. µg/cm<sup>2</sup>  
   NESIL (no expected sensitization induction level): n.a. µg/cm<sup>2</sup>  
 Skin corrosion/irritation (dermal)(HRIPT): not irritating  
 Skin sensitization (HRIPT): non sensitizing @8%  
 Eye: Irritation (ocular)(FHSA): irritating (cat. 2A)  
 Inhalation toxicity (OECD Test Guideline 403): >1000 mg/m<sup>3</sup>  
 Developmental NOAEL maternal: n.a. mg/kg; NOAEL foetal: n.a. mg/kg  
 Reproductive Toxicity NOAEL: 1000 mg/kg  
 Genotoxicity (in vivo): negative. Genotoxicity (in vitro): negative

2,6-Dimethyl-7-octen-2-ol, NNI - CAS: 18479-58-8  
 Oral toxicity acute (OECD Test Guideline 401) - LD50: 3600 mg/kg  
 Repeated dose toxicity (OECD Test Guideline 407) - NOAEL: 50 mg/kg; LOAEL: n.a. mg/kg  
 Dermal toxicity - human (RIFM-Research Institute for Fragrance Materials or OECD Test Guideline 402):  
   NOEL (no observed effect level): >6000 µg/cm<sup>2</sup>  
   LOEL (lowest observed effect level): n.a. µg/cm<sup>2</sup>  
   NESIL (no expected sensitization induction level): n.a. µg/cm<sup>2</sup>  
 Skin corrosion/irritation (dermal)(HRIPT): irritating  
 Skin sensitization (HRIPT): non sensitizing  
 Eye: Irritation (ocular)(FHSA): moderately irritating  
 Inhalation toxicity (OECD Test Guideline 403): n.a. mg/m<sup>3</sup>  
 Developmental NOAEL maternal: 1000 mg/kg; NOAEL foetal: 1000 mg/kg  
 Reproductive Toxicity NOAEL: n.a. mg/kg  
 Genotoxicity (in vivo): negative. Genotoxicity (in vitro): negative



If not differently specified, the information required in Regulation (EU)2015/830 listed below must be considered as N.A.:

- a) acute toxicity;
- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Dipropylene glycol, NNI - CAS: 25265-71-8

- a) Aquatic acute toxicity - Endpoint: LC50 - Species: Fish (Daphnia sp. Acute Immobilisation Test: OECD 202) 46.5 mg/l - Duration h: 96 - Notes: ECHA
- a) Aquatic acute toxicity - Endpoint: EC50 - Species: Daphnia (Daphnia sp. Acute Immobilisation Test: OECD 202) 100 mg/l - Duration h: 48 - Notes: ECHA
- a) Aquatic acute toxicity - Endpoint: EC50 - Species: Algae (Freshwater Alga&Cyanobacteria, Grow. Inhib.Test: OECD 201) 100 mg/l - Duration h: 72 - Notes: ECHA
- c) Bacteria toxicity - Endpoint: EC50 - Species: Microorganisms (Bacterial Reverse Mutation Test: OECD 471) 1000 mg/l - Duration h: 3 - Notes: ECHA

Benzyl salicylate\* - CAS: 118-58-1

- a) Aquatic acute toxicity - Endpoint: LC50 - Species: Fish (Daphnia sp. Acute Immobilisation Test: OECD 202) 1.03 mg/l - Duration h: 96 - Notes: ECHA
- a) Aquatic acute toxicity - Endpoint: EC50 - Species: Daphnia (Daphnia sp. Acute Immobilisation Test: OECD 202) 1.16 mg/l - Duration h: 48 - Notes: ECHA
- a) Aquatic acute toxicity - Endpoint: EC50 - Species: Algae (Freshwater Alga&Cyanobacteria, Grow. Inhib.Test: OECD 201) 1.29 mg/l - Duration h: 72 - Notes: ECHA
- c) Bacteria toxicity - Endpoint: EC50 - Species: Microorganisms (Bacterial Reverse Mutation Test: OECD 471) 100 mg/l - Duration h: 3 - Notes: ECHA

Hexamethylindanopyran, NNI - CAS: 1222-05-5

- a) Aquatic acute toxicity - Endpoint: LC50 - Species: Fish (Daphnia sp. Acute Immobilisation Test: OECD 202) 0.950 mg/l - Duration h: 96 - Notes: ECHA
- a) Aquatic acute toxicity - Endpoint: EC50 - Species: Daphnia (Daphnia sp. Acute Immobilisation Test: OECD 202) 0.194 mg/l - Duration h: 48 - Notes: ECHA
- a) Aquatic acute toxicity - Endpoint: EC50 - Species: Algae (Freshwater Alga&Cyanobacteria, Grow. Inhib.Test: OECD 201) 0.201 mg/l - Duration h: 72 - Notes: ECHA
- a) Aquatic acute toxicity - Endpoint: EC50 - Species: Microorganisms (Bacterial Reverse Mutation Test: OECD 471) 10.0 mg/l - Duration h: 3 - Notes: ECHA

Diethyl phthalate, NNI - CAS: 84-66-2

- a) Aquatic acute toxicity - Endpoint: LC50 - Species: Fish (Daphnia sp. Acute Immobilisation Test: OECD 202) 12 mg/l - Duration h: 96 - Notes: ECHA
- a) Aquatic acute toxicity - Endpoint: EC50 - Species: Daphnia (Daphnia sp. Acute Immobilisation Test: OECD 202) 90 mg/l - Duration h: 42 - Notes: ECHA
- a) Aquatic acute toxicity - Endpoint: EC50 - Species: Algae (Freshwater Alga&Cyanobacteria, Grow. Inhib.Test: OECD 201) 45 mg/l - Duration h: 72 - Notes: ECHA
- a) Aquatic acute toxicity - Endpoint: EC50 - Species: Microorganisms (Bacterial Reverse Mutation Test: OECD 471) 20 mg/l - Duration h: 3 - Notes: ECHA

Linalool\* - CAS: 78-70-6

- a) Aquatic acute toxicity - Endpoint: LC50 - Species: Fish (Daphnia sp. Acute Immobilisation Test: OECD 202) 27.8 mg/l - Duration h: 96 - Notes: ECHA
- a) Aquatic acute toxicity - Endpoint: EC50 - Species: Daphnia (Daphnia sp. Acute Immobilisation Test: OECD 202) 59 mg/l - Duration h: 748 - Notes: ECHA
- a) Aquatic acute toxicity - Endpoint: EC50 - Species: Algae (Freshwater Alga&Cyanobacteria, Grow. Inhib.Test: OECD 201) 156.7 mg/l - Duration h: 72 - Notes: ECHA
- c) Bacteria toxicity - Endpoint: EC50 - Species: Microorganisms (Bacterial Reverse Mutation Test: OECD 471) 100 mg/l - Duration h: 3 - Notes: ECHA

Linalyl acetate, NNI - CAS: 115-95-7

- a) Aquatic acute toxicity - Endpoint: LC50 - Species: Fish (Daphnia sp. Acute Immobilisation Test: OECD 202) 11 mg/l - Duration h: 96 - Notes: ECHA
- a) Aquatic acute toxicity - Endpoint: EC50 - Species: Daphnia (Daphnia sp. Acute Immobilisation Test: OECD 202) 59 mg/l - Duration h: 48 - Notes: ECHA
- a) Aquatic acute toxicity - Endpoint: EC50 - Species: Algae (Freshwater Alga&Cyanobacteria, Grow. Inhib.Test: OECD 201) 156 mg/l - Duration h: 72 - Notes: ECHA

Cedryl methyl ether, NNI - CAS: 19870-74-7

- a) Aquatic acute toxicity - Endpoint: LC50 - Species: Fish (Daphnia sp. Acute Immobilisation Test: OECD 202) 0.430 mg/l - Duration h: 96 - Notes: ECHA
- a) Aquatic acute toxicity - Endpoint: EC50 - Species: Daphnia (Daphnia sp. Acute Immobilisation Test: OECD 202) 0.480 mg/l - Duration h: 48 - Notes: ECHA
- a) Aquatic acute toxicity - Endpoint: EC50 - Species: Algae (Freshwater Alga&Cyanobacteria, Grow. Inhib.Test: OECD 201) 0.700 mg/l - Duration h: 72 - Notes: ECHA

- a) Aquatic acute toxicity - Endpoint: EC50 - Species: Microorganisms (Bacterial Reverse Mutation Test: OECD 471) 1000 mg/l - Duration h: 3 - Notes: ECHA

beta-Ionone, NNI - CAS: 14901-07-6

- a) Aquatic acute toxicity - Endpoint: LC50 - Species: Fish (Daphnia sp. Acute Immobilisation Test: OECD 202) 2.572 mg/l - Duration h: 96 - Notes: ECHA

- a) Aquatic acute toxicity - Endpoint: EC50 - Species: Daphnia (Daphnia sp. Acute Immobilisation Test: OECD 202) 1.641 mg/l - Duration h: 48 - Notes: ECHA
- a) Aquatic acute toxicity - Endpoint: EC50 - Species: Algae (Freshwater Alga&Cyanobacteria, Grow. Inhib.Test: OECD 201) 3.223 mg/l - Duration h: 72 - Notes: ECHA
- a) Aquatic acute toxicity - Endpoint: EC50 - Species: Microorganisms (Bacterial Reverse Mutation Test: OECD 471) 4.285 mg/l - Duration h: 3 - Notes: ECHA
- Ethyl maltol, NNI - CAS: 4940-11-8
- a) Aquatic acute toxicity - Endpoint: LC50 - Species: Fish (Daphnia sp. Acute Immobilisation Test: OECD 202) 85 mg/l - Duration h: 96 - Notes: ECHA
- a) Aquatic acute toxicity - Endpoint: EC50 - Species: Daphnia (Daphnia sp. Acute Immobilisation Test: OECD 202) 27 mg/l - Duration h: 48 - Notes: ECHA
- a) Aquatic acute toxicity - Endpoint: EC50 - Species: Algae (Freshwater Alga&Cyanobacteria, Grow. Inhib.Test: OECD 201) 7.2 mg/l - Duration h: 72 - Notes: ECHA
- a) Aquatic acute toxicity - Endpoint: EC50 - Species: Microorganisms (Bacterial Reverse Mutation Test: OECD 471) 15.5 mg/l - Duration h: 3 - Notes: ECHA
- Ethyl vanillin, NNI - CAS: 121-32-4
- a) Aquatic acute toxicity - Endpoint: LC50 - Species: Fish (Daphnia sp. Acute Immobilisation Test: OECD 202) 87.6 mg/l - Duration h: 96 - Notes: ECHA
- a) Aquatic acute toxicity - Endpoint: EC50 - Species: Daphnia (Daphnia sp. Acute Immobilisation Test: OECD 202) 26.2 mg/l - Duration h: 42 - Notes: ECHA
- a) Aquatic acute toxicity - Endpoint: EC50 - Species: Algae (Freshwater Alga&Cyanobacteria, Grow. Inhib.Test: OECD 201) 100 mg/l - Duration h: 72 - Notes: ECHA
- a) Aquatic acute toxicity - Endpoint: EC50 - Species: Microorganisms (Bacterial Reverse Mutation Test: OECD 471) 158.7 mg/l - Duration h: 3 - Notes: ECHA
- Ethyl linalool, NNI - CAS: 10339-55-6
- a) Aquatic acute toxicity - Endpoint: LC50 - Species: Fish (Daphnia sp. Acute Immobilisation Test: OECD 202) 24 mg/l - Duration h: 96 - Notes: ECHA
- a) Aquatic acute toxicity - Endpoint: EC50 - Species: Daphnia (Daphnia sp. Acute Immobilisation Test: OECD 202) 23 mg/l - Duration h: 48 - Notes: ECHA
- a) Aquatic acute toxicity - Endpoint: EC50 - Species: Algae (Freshwater Alga&Cyanobacteria, Grow. Inhib.Test: OECD 201) 13.3 mg/l - Duration h: 72 - Notes: ECHA
- Citrus Sinensis peel oil expressed (Brasil), PPAI - CAS: 8028-48-6
- a) Aquatic acute toxicity - Endpoint: LC50 - Species: Fish (Daphnia sp. Acute Immobilisation Test: OECD 202) 5.61 mg/l - Duration h: 96 - Notes: ECHA
- a) Aquatic acute toxicity - Endpoint: EC50 - Species: Daphnia (Daphnia sp. Acute Immobilisation Test: OECD 202) 1.1 mg/l - Duration h: 48 - Notes: ECHA
- a) Aquatic acute toxicity - Endpoint: EC50 - Species: Algae (Freshwater Alga&Cyanobacteria, Grow. Inhib.Test: OECD 201) 4.3 mg/l - Duration h: 72 - Notes: ECHA
- Triethyl citrate (E1505), CPAI - CAS: 77-93-0
- a) Aquatic acute toxicity - Endpoint: LC50 - Species: Fish (Daphnia sp. Acute Immobilisation Test: OECD 202) 112.02 mg/l - Duration h: 96 - Notes: ECHA
- a) Aquatic acute toxicity - Endpoint: EC50 - Species: Daphnia (Daphnia sp. Acute Immobilisation Test: OECD 202) 100 mg/l - Duration h: 48 - Notes: ECHA
- a) Aquatic acute toxicity - Endpoint: EC50 - Species: Algae (Freshwater Alga&Cyanobacteria, Grow. Inhib.Test: OECD 201) 100 mg/l - Duration h: 72 - Notes: ECHA
- a) Aquatic acute toxicity - Endpoint: EC50 - Species: Microorganisms (Bacterial Reverse Mutation Test: OECD 471) 5.48 mg/l - Duration h: 3 - Notes: ECHA
- Tetrahydro-methyl-(methylpropyl)-pyranol, NNI - CAS: 63500-71-0
- a) Aquatic acute toxicity - Endpoint: EC50 - Species: Algae (Freshwater Alga&Cyanobacteria, Grow. Inhib.Test: OECD 201) 320 mg/l - Duration h: 72 - Notes: ECHA
- a) Aquatic acute toxicity - Endpoint: EC50 - Species: Daphnia (Daphnia sp. Acute Immobilisation Test: OECD 202) 100 mg/l - Duration h: 48 - Notes: ECHA
- a) Aquatic acute toxicity - Endpoint: EC50 - Species: Microorganisms (Bacterial Reverse Mutation Test: OECD 471) 1000 mg/l - Duration h: 3 - Notes: ECHA
- Ethoxydiglycol, NNI - CAS: 111-90-0
- a) Aquatic acute toxicity - Endpoint: LC50 - Species: Fish (Daphnia sp. Acute Immobilisation Test: OECD 202) 6010 mg/l - Duration h: 96 - Notes: ECHA
- a) Aquatic acute toxicity - Endpoint: EC50 - Species: Daphnia (Daphnia sp. Acute Immobilisation Test: OECD 202) 1982 mg/l - Duration h: 48 - Notes: ECHA
- a) Aquatic acute toxicity - Endpoint: EC50 - Species: Algae (Freshwater Alga&Cyanobacteria, Grow. Inhib.Test: OECD 201) 14861 mg/l - Duration h: 72 - Notes: ECHA
- c) Bacteria toxicity - Endpoint: EC50 - Species: Microorganisms (Bacterial Reverse Mutation Test: OECD 471) 5000 mg/l - Duration h: 3 - Notes: ECHA
- 2,6-Dimethyl-7-octen-2-ol, NNI - CAS: 18479-58-8
- a) Aquatic acute toxicity - Endpoint: LC50 - Species: Fish (Daphnia sp. Acute Immobilisation Test: OECD 202) 27.8 mg/l - Duration h: 96 - Notes: ECHA
- a) Aquatic acute toxicity - Endpoint: EC50 - Species: Daphnia (Daphnia sp. Acute Immobilisation Test: OECD 202) 38 mg/l - Duration h: 48 - Notes: ECHA
- a) Aquatic acute toxicity - Endpoint: EC50 - Species: Algae (Freshwater Alga&Cyanobacteria, Grow. Inhib.Test: OECD 201) 80 mg/l - Duration h: 72 - Notes: ECHA
- c) Bacteria toxicity - Endpoint: EC50 - Species: Microorganisms (Bacterial Reverse Mutation Test: OECD 471) 100 mg/l - Duration h: 3 - Notes: ECHA
- Citrus Aurantium Dulcis peel extract (Sicily - Italy), PPAI - CAS: 8028-48-6
- a) Aquatic acute toxicity - Endpoint: LC50 - Species: Fish (Daphnia sp. Acute Immobilisation Test: OECD 202) 5.61 mg/l - Duration h: 96 - Notes: ECHA
- a) Aquatic acute toxicity - Endpoint: EC50 - Species: Daphnia (Daphnia sp. Acute Immobilisation Test: OECD 202) 1.1 mg/l - Duration h: 48 - Notes: ECHA
- a) Aquatic acute toxicity - Endpoint: EC50 - Species: Algae (Freshwater Alga&Cyanobacteria, Grow. Inhib.Test: OECD 201) 4.3 mg/l - Duration h: 72 - Notes: ECHA
- Citronello\* - CAS: 106-22-9
- a) Aquatic acute toxicity - Endpoint: LC50 - Species: Fish (Daphnia sp. Acute Immobilisation Test: OECD 202) 14.66 mg/l - Duration h: 96 - Notes: ECHA
- a) Aquatic acute toxicity - Endpoint: EC50 - Species: Daphnia (Daphnia sp. Acute Immobilisation Test: OECD 202) 17.48 mg/l - Duration h: 42 - Notes: ECHA

a) Aquatic acute toxicity - Endpoint: EC50 - Species: Algae (Freshwater Alga&Cyanobacteria, Grow. Inhib.Test: OECD 201) 2.4 mg/l - Duration h: 72 - Notes: ECHA

a) Aquatic acute toxicity - Endpoint: EC50 - Species: Microorganisms (Bacterial Reverse Mutation Test: OECD 471) 10000 mg/l - Duration h: 3 - Notes: ECHA

Coumarin\* - CAS: 91-64-5

a) Aquatic acute toxicity - Endpoint: LC50 - Species: Fish (Daphnia sp. Acute Immobilisation Test: OECD 202) 1.329 mg/l - Duration h: 96 - Notes: ECHA

a) Aquatic acute toxicity - Endpoint: EC50 - Species: Daphnia (Daphnia sp. Acute Immobilisation Test: OECD 202) 24.3 mg/l - Duration h: 48 - Notes: ECHA

a) Aquatic acute toxicity - Endpoint: EC50 - Species: Algae (Freshwater Alga&Cyanobacteria, Grow. Inhib.Test: OECD 201) 1.452 mg/l - Duration h: 72 - Notes: ECHA

c) Bacteria toxicity - Endpoint: EC50 - Species: Microorganisms (Bacterial Reverse Mutation Test: OECD 471) 640 mg/l - Duration h: 3 - Notes: ECHA

Dihydro pentamethylindanone, NNI - CAS: 33704-61-9

a) Aquatic acute toxicity - Endpoint: LC50 - Species: Fish (Daphnia sp. Acute Immobilisation Test: OECD 202) 2.12 mg/l - Duration h: N.A. - Notes: ECHA

a) Aquatic acute toxicity - Endpoint: EC50 - Species: Daphnia (Daphnia sp. Acute Immobilisation Test: OECD 202) 1.5 mg/l - Duration h: N.A. - Notes: ECHA

a) Aquatic acute toxicity - Endpoint: EC50 - Species: Algae (Freshwater Alga&Cyanobacteria, Grow. Inhib.Test: OECD 201) 10 mg/l - Duration h: N.A. - Notes: ECHA

a) Aquatic acute toxicity - Endpoint: EC50 - Species: Microorganisms (Bacterial Reverse Mutation Test: OECD 471) 1000 mg/l - Duration h: N.A. - Notes: ECHA

Schinus Molle oil (South America), PPAI - CAS: 94334-31-3

a) Aquatic acute toxicity - Endpoint: EC50 - Species: Daphnia (Daphnia sp. Acute Immobilisation Test: OECD 202) 9.73 mg/l - Duration h: 48 - Notes: ECHA

a) Aquatic acute toxicity - Endpoint: EC50 - Species: Algae (Freshwater Alga&Cyanobacteria, Grow. Inhib.Test: OECD 201) 8.59 mg/l - Duration h: 72 - Notes: ECHA

Methyl dihydroxy dimethylbenzoate, NNI - CAS: 4707-47-5

a) Aquatic acute toxicity - Endpoint: LC50 - Species: Fish (Daphnia sp. Acute Immobilisation Test: OECD 202) 5.2 mg/l - Duration h: 96 - Notes: ECHA

a) Aquatic acute toxicity - Endpoint: EC50 - Species: Daphnia (Daphnia sp. Acute Immobilisation Test: OECD 202) 9.3 mg/l - Duration h: 42 - Notes: ECHA

a) Aquatic acute toxicity - Endpoint: EC50 - Species: Algae (Freshwater Alga&Cyanobacteria, Grow. Inhib.Test: OECD 201) 3.3 mg/l - Duration h: 72 - Notes: ECHA

a) Aquatic acute toxicity - Endpoint: EC50 - Species: Microorganisms (Bacterial Reverse Mutation Test: OECD 471) 100 mg/l - Duration h: 3 - Notes: ECHA

Terpineol, CPAI - CAS: 8000-41-7

a) Aquatic acute toxicity - Endpoint: LC50 - Species: Fish (Daphnia sp. Acute Immobilisation Test: OECD 202) 12 mg/l - Duration h: 96 - Notes: ECHA

a) Aquatic acute toxicity - Endpoint: EC50 - Species: Daphnia (Daphnia sp. Acute Immobilisation Test: OECD 202) 12 mg/l - Duration h: 42 - Notes: ECHA

a) Aquatic acute toxicity - Endpoint: EC50 - Species: Algae (Freshwater Alga&Cyanobacteria, Grow. Inhib.Test: OECD 201) 17 mg/l - Duration h: 72 - Notes: ECHA

a) Aquatic acute toxicity - Endpoint: EC50 - Species: Microorganisms (Bacterial Reverse Mutation Test: OECD 471) 499 mg/l - Duration h: 3 - Notes: ECHA

Citrus Nobilis peel oil (Sicily - Italia), PPAI - CAS: 84929-38-4

a) Aquatic acute toxicity - Endpoint: LC50 - Species: Fish (Daphnia sp. Acute Immobilisation Test: OECD 202) 100 mg/l - Duration h: 96 - Notes: ECHA

a) Aquatic acute toxicity - Endpoint: EC50 - Species: Daphnia (Daphnia sp. Acute Immobilisation Test: OECD 202) 8.9 mg/l - Duration h: 48 - Notes: ECHA

a) Aquatic acute toxicity - Endpoint: EC50 - Species: Algae (Freshwater Alga&Cyanobacteria, Grow. Inhib.Test: OECD 201) 0.610 mg/l - Duration h: 72 - Notes: ECHA

## 12.2. Persistence and degradability

According to theoretical calculations based on QSAR (Quantitative Structure Assessment Relationships) the biodegradability of concentrate products is >60% / 28d. The products is INHERENTLY BIODEGRADABLE. The biodegradability increases if the product is diluted.

## 12.3. Bioaccumulative potential

N.A.

## 12.4. Mobility in soil

N.A.

## 12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

## 12.6. Other adverse effects

None

## 12.7. German Water Hazard Class.

WGK 2: hazard to waters

---

## SECTION 13: DISPOSAL CONSIDERATIONS

**13.1. Waste treatment methods**

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

Avoid release to the environment.

CER code:

- 070608 - "other sill bottoms and reaction residues"

Properties of wastes of wastes which render them hazardous:

- HP4 - "Irritant" non-corrosive substances and preparations which, through immediate, prolonged or | | repeated contact with the skin or mucous membrane, can cause inflammation.

- HP5 "Harmful": substances and preparations which, if they are inhaled or ingested or if they penetrate | | the skin, may involve limited health risks.

---

**14. TRANSPORT INFORMATION****14.1 UN Number:**

N° ONU: UN3082 - Environmentally hazardous substance, liquid, n.o.s.

**14.2 UN proper shipping name:**

Name ONU: Hexamethylindanopyran

**14.3 Indications for ADR transport:**

ADR - Classe: 9-M6

ADR - Label: 9

ADR - Packing Group: III

ADR - Gallery code: (-)

**14.4 Indications for IATA transport:**

IATA - Class: 9-M6

IATA - Passenger Aircraft: 914

IATA - Cargo Aircraft: 914

IATA - Label: 9

IATA - Packing group: III

**14.5 Indications for IMO transport:**

IMO - Class: 9-M6

IMO - EmS: F-A, S-F

IMO - Label: 9

IMO - Packing group: III

**14.6 Special pre-orders for users**

None

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

The substance / mixture is not intended to be transported in bulk, IBC code not required.

---

**SECTION 15: REGULATORY INFORMATION****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) 2020/878

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Regulation (EU) n. 2017/776 (ATP 10 CLP)

Regulation (EU) n. 2018/669 (ATP 11 CLP)

Regulation (EU) n. 2018/1480 (ATP 13 CLP)

Regulation (EU) n. 2019/521 (ATP 12 CLP)

Regulation (EU) n. 2020/217 (ATP 14 CLP)

Regulation (EU) n. 2020/1182 (ATP 15 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

Restriction 3

Restriction 40

Restrictions related to the substances contained:

Restriction 75

Where applicable, refer to the following regulatory provisions :

Directive 2012/18/EU (Seveso III)

Regulation (EC) nr 648/2004 (detergents).

Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

Product belongs to category: E2

**15.2. Chemical safety assessment**

No Chemical Safety Assessment has been carried out for the mixture.

**SECTION 16: OTHER INFORMATION**

Full text of phrases referred to in Section 3:

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H315 Causes skin irritation.

H411 Toxic to aquatic life with long lasting effects.

H302 Harmful if swallowed.

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H336 May cause drowsiness or dizziness.

Hazard class and hazard category	Code	Description
Flam. Liq. 3	2.6/3	Flammable liquid, Category 3
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Asp. Tox. 1	3.10/1	Aspiration hazard, Category 1
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Skin Sens. 1	3.4.2/1	Skin Sensitisation, Category 1
Skin Sens. 1B	3.4.2/1B	Skin Sensitisation, Category 1B
STOT SE 3	3.8/3	Specific target organ toxicity - single exposure, Category 3
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1
Aquatic Chronic 2	4.1/C2	Chronic (long term) aquatic hazard, category 2
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

Paragraphs modified from the previous revision: 1; 2; 3;14

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Eye Irrit. 2, H319	Calculation method
Skin Sens. 1B, H317	Calculation method
Aquatic Chronic 2, H411	Calculation method

This document was prepared by a competent person who has received appropriate training.

#### Main bibliographic sources:

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

#### ACRONIMEX

ADN: Accord européen relative au transport international des marchandises dangereuses par voies de navigation intérieures (accordo europeo relativo al trasporto internazionale delle merci pericolose per vie navigabili interne)

ADR: Accord européen relative au transport international des marchandises dangereuses par route (accordo europeo relativo al trasporto internazionale delle merci pericolose su strada)

BCF: BioConcentration Factor (Fattore di BioConcentrazione)

C&L: Classification and Labelling (Classificazione ed Etichettatura)

CAS- EINECS: European CAS number only for vegetal products

CAS: Chemical Abstracts Service

Chemicals Agency (Agenzia Europea delle Sostanze Chimiche)

CITES: The Convention on International Trade in Endangered Species of Wild Fauna and Flora

CLP: Classification, Labelling and Packaging (Classificazione, Etichettatura e Imballaggio) CMR: Carcinogenic, Mutagenic Reprotoxic (Cancerogenico–Mutagenico–Reprotossico)

COSING: European Commission database for information on cosmetic substances and ingredients

CSA: Chemical Safety Assessment (Valutazione del Rischio Chimico)

CSR: Chemical Safety Report (Relazione sulla Sicurezza Chimica)

DNEL: Derived no effect level (Livello derivato senza effetto)

EC Numbers: European Community number (replace the outmoded "EINECS/ELINCS number" )

EFFA: European Flavour and Fragrance Association

EINECS: European Inventory of Existing Commercial Chemical Substances (Registro Europeo delle Sostanze chimiche in Commercio)

ELINCS: European List of Notified Chemical Substances

EMA: The European Agency for the Evaluation of Medicinal Products

GefStoffVO: Gefahrstoffverordnung (Ordinanza sulle sostanze pericolose in Germania)

GHS: Globally Harmonised System (Sistema Globale Armonizzato)

IATA: International Air Transport Association (Associazione Internazionale del Trasporto Aereo)

IATA-DGR: IATA Dangerous Goods Regulations (Regolamento sulle merci pericolose della IATA)

ICAO: International Civil Aviation Organization (Organizzazione Internazionale dell'Aviazione Civile)

ICAO-TI: International Civil Aviation Organization - Technical Instructions for the Safe Transport of Dangerous Goods by Air (Istruzioni tecniche della "Organizzazione internazionale per l'aviazione civile" (ICAO)

IFRA: The International Fragrance Association

IMDG: International Maritime Dangerous Goods code (Codice sul Regolamento del Trasporto Marittimo)

IOFI: International Organization of the Flavor Industry

ISS: Istituto Superiore di Sanità

KSt: Explosion Constant (explosion risk), coefficiente d'esplosione.

LC50: Lethal Concentration 50 (concentration in water having 50% chance of causing death to aquatic life), (concentrazione letale per il 50 per cento della popolazione di test)

LD50: Lethal Dose 50 (median concentration of a toxicant that will kill 50% of the test animals within a designated period), (dose letale per il 50 per cento della popolazione di test)

LOAEL: Lowest Observed Adverse Effect Level (La più piccola dose senza effetto avverso osservabile)

LOEL: Lowest Observed Effect Level (La più bassa dose al quale si riscontra un effetto biologico)

Log Kow: Partition coefficient (Coefficiente di ripartizione ottanolo – acqua)

MOAEL: Maximun Observed adverse effect level (Dose massima alla quale tutti i soggetti manifestano un determinato effetto)

MSDS- Material Safety Data Sheet (SDS Scheda di Sicurezza)

NLP: No-Longer Polymers

NOAEL: No Observed Adverse Effect Level (Dose senza effetto avverso osservabile)

NOEL: No Observed Effect Level (Dose priva di qualsiasi effetto biologico)

OR: Only Representative (Rappresentante Esclusivo)

PBT: Persistent, bioaccumulative and toxic (sostanze persistenti bioaccumulabili e tossiche)

Ph. Eur.: European Pharmacopoeia

PNEC: Predicted no effect concentration (Concentrazione prevedibile priva di effetti)

REACH: Registration Evaluation Authorisation and Restriction of Chemicals

RID: Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regolamento concernente il trasporto internazionale di merci pericolose per ferrovia)

STA: Stima della tossicità acuta

STAmix: Stima della tossicità acuta (Miscela)

STEL: Short Term Exposure Limit (Limite d'esposizione a corto termine)

STOT: Specific Target Organ Toxicity (Tossicità organo-specifica)

TLV-STEL: Threshold Limit Value - Short-Term Exposure Limit (valore massimo consentito per esposizioni brevi)

TLV-TWA: Threshold Limit Values - Time Weighted Average (Valore limite di soglia media ponderata nel tempo)

WGK: Wassergefährdungsklasse (Classe di pericolo per le acque (Germania))