In accordance with Regulation EC No. 830/2015

Issue date: 04/10/2021 Version: 18 (04/10/2021)

Version: 18

### **LAVANDA AZZURRA 789/C**

## SECTION 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: LAVANDA AZZURRA 789/C(Contains:Coumarin, Geranyl acetate, Linalool, Linalyl acetate)

**Unique Formula** 

0R52-9098-1009-K222

Identifier (UFI):

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Fragrances Uses advised against: Flavours

#### **SECTION 2. Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification under Regulation (EC) No 1272/2008

danger:

Class and category of Skin Corrosion / Irritation Category 2

Eye Damage / Irritation Category 2 Sensitization - Skin Category 1

Hazardous to the Aquatic Environment - Long-term Hazard Category 2

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H319, Causes serious eye irritation.

H411, Toxic to aquatic life with long lasting effects.

2.2 Label elements

Signal word: Warning

Hazard statements: H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H319, Causes serious eye irritation.

In accordance with Regulation EC No. 830/2015

Issue date: 04/10/2021 Version: 18 (04/10/2021)

Version: 18

#### **LAVANDA AZZURRA 789/C**

H411, Toxic to aquatic life with long lasting effects.

Supplemental Information:

EUH208, Contains 1,8-Cineole, 4-tert-Butylcyclohexyl acetate, Geraniol, Nopyl acetate, beta-

Caryophyllene, trans-Anethole. May produce an allergic reaction.

Precautionary statements:

P261, Avoid breathing vapour or dust.

P264, Wash hands and other contacted skin thoroughly after handling.

P272, Contaminated work clothing should not be allowed out of the workplace.

P273, Avoid release to the environment.

P280, Wear protective gloves/eye protection/face protection. P302/352, IF ON SKIN: Wash with plenty of soap and water.

P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P337/313, If eye irritation persists: Get medical advice/attention. P362, Take off contaminated clothing and wash before reuse.

P391, Collect spillage.

P501, Dispose of contents/container to approved disposal site, in accordance with local

regulations.



Pictograms:

Other hazards: None

## **SECTION 3. Composition / information on ingredients**

## 3.2 Mixtures

#### Contains:

Name	CAS	CE	REACH Registration No.	%	Classification for (CLP) 1272/2008
3a,4,5,6,7,7a- hexahydro-4,7- methanoinden-6-yl acetate	5413-60-5	226-501-6	01-2119934491-39-XXXX	20-<50%	Aquatic Chronic 3; H412,-
p-menth-1-en-8-yl acetate	80-26-2	201-265-7	01-2119980733-29-XXX	20-<50%	Aquatic Chronic 2; H411,-
Linalool	78-70-6	201-134-4	01-2119474016-42-XXXX	5-<10%	Skin Irrit. 2-Eye Irrit. 2- Skin Sens. 1B;H315- H317-H319,-
2,6-Dimethyl-7-octen-2- ol	18479-58-8	242-362-4	01-2119457274-37-XXXX	5-<10%	Skin Irrit. 2-Eye Irrit. 2; H315-H319,-
Coumarin	91-64-5	202-086-7	01-2119949300-45-XXXX; 01-2119943756-26-XXXX	5-<10%	Acute Tox. 4-Skin Sens. 1-Aquatic Chronic 3;H302-H317- H412,-
Verdyl Propionate	68912-13-0	272-805-7	01-2119969447-21-XXXX	5-<10%	Aquatic Chronic 2; H411,-

In accordance with Regulation EC No. 830/2015

Issue date: 04/10/2021 Version: 18 (04/10/2021)

Version: 18

## **LAVANDA AZZURRA 789/C**

Geranyl acetate	105-87-3	203-341-5	01-2119973480-35-XXXX	1-<5%	Skin Irrit. 2-Skin Sens. 1-Aquatic Chronic 3; H315-H317-H412,-
Linalyl acetate	115-95-7	204-116-4	01-2119454789-19-XXXX	1-<5%	Skin Irrit. 2-Eye Irrit. 2- Skin Sens. 1;H315- H317-H319,-
Geraniol	106-24-1	203-377-1	01-2119552430-49-XXXX	1-<5%	Skin Irrit. 2-Eye Dam. 1-Skin Sens. 1;H315- H317-H318,-
2-Octanone	111-13-7	203-837-1	1-2120118362-67-XXXX	1-<5%	Flam. Liq. 3-Eye Irrit. 2- Aquatic Chronic 3; H226-H319-H412,-
6-Methyl-5-hepten-2- one	110-93-0	203-816-7	01-2119977069-23-XXXX	1-<5%	Flam. Liq. 3;H226,-
Benzyl benzoate	120-51-4	204-402-9	01-2119976371-33-XXXX	0.1-<1%	Acute Tox. 4-Aquatic Acute 1-Aquatic Chronic 3;H302-H400- H412,-
7-Methyl-3- methyleneocta-1,6- diene	123-35-3	204-622-5	01-2119514321-56-XXXX	0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Eye Irrit. 2-Asp. Tox 1-Aquatic Acute 1- Aquatic Chronic 2; H226-H304-H315- H319-H400-H411,-
(+)-bornan-2-one	464-49-3	207-355-2	01-2120768421-55-XXXX	0.1-<1%	Flam. Sol. 2-Acute Tox. 4-Skin Irrit. 2-Eye Dam. 1-STOT SE 2;H228- H315-H318-H332- H371,-
Nopyl acetate	128-51-8	204-891-9	01-2119982322-38-XXXX	0.1-<1%	Eye Irrit. 2-Skin Sens. 1B-Aquatic Chronic 2; H317-H319-H411,-
trans-Anethole	4180-23-8	224-052-0	01-2119979097-22-XXXX	0.1-<1%	Skin Sens. 1-Aquatic Chronic 3;H317-H412,-
1,8-Cineole	470-82-6	207-431-5	01-2119967772-24-XXXX	0.1-<1%	Flam. Liq. 3-Skin Sens. 1B;H226-H317,-
Allyl pentyloxyacetate	67634-00-8	266-803-5	01-2120795456-39-XXXX	0.1-<1%	Acute Tox. 4-Acute Tox. 4-STOT RE 2- Aquatic Acute 1;H302- H312-H373-H400,-
1,3,4,6,7,8-Hexahydro- 4,6,6,7,8,8- hexamethylcyclopenta- gamma-2-benzopyran	1222-05-5	214-946-9	01-2119488227-29-XXXX	0.1-<1%	Aquatic Acute 1- Aquatic Chronic 1; H400-H410,-
4-tert-Butylcyclohexyl acetate	32210-23-4	250-954-9	01-2119976286-24-XXXX	0.1-<1%	Skin Sens. 1;H317,-
beta-Caryophyllene	87-44-5	201-746-1	01-2120745237-53-XXXX	0.1-<1%	Skin Sens. 1B-Asp. Tox 1;H304-H317,-

## **Substances with Community workplace exposure limits:**

Name	CAS	CE	%
(+)-bornan-2-one	464-49-3	207-355-2	0.1-<1%

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

## **SECTION 4. First-aid measures**

## 4.1 Description of first aid measures

IF ON SKIN: Wash with plenty of soap and water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

In accordance with Regulation EC No. 830/2015

Issue date: 04/10/2021 Version: 18 (04/10/2021)

Version: 18

#### **LAVANDA AZZURRA 789/C**

## 4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

#### 4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

## 5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

#### 5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

## **SECTION 6. Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

## 6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

#### 6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

## 6.4 Reference to other sections:

Also refer to sections 8 and 13.

## **SECTION 7. Handling and storage**

## 7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

## 7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take

In accordance with Regulation EC No. 830/2015

Issue date: 04/10/2021 Version: 18 (04/10/2021)

Version: 18

#### **LAVANDA AZZURRA 789/C**

precautionary measures against static discharge.

#### 7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

### **SECTION 8. Exposure controls/personal protection**

#### 8.1 Control parameters

Workplace exposure limits:

Name	CAS	CE	Description:	Value
			Long-term exposure limit (8-hour TWA) (ppm)	2
(1) harnan 2 ana	464-49-3	207-355-2	Long-term exposure limit (8-hour TWA) (mg/m3)	12
(+)-bornan-2-one			Short-term exposure limit (15-minute) (ppm)	3
			Short-term exposure limit (15-minute) (mg/m3)	19

### **8.2 Exposure Controls**

### **Eye / Skin Protection**

Wear protective gloves/eye protection/face protection

## **Respiratory Protection**

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

### **SECTION 9. Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Appearance: Liquido paglierino / Straw liquid

Odour: Caratteristico / Characteristic

Odour threshold:

pH:

Not determined

Melting point / freezing point:

Initial boiling point / range:

Not determined

Not determined

Flash point @ 20°C: > 61 °C

In accordance with Regulation EC No. 830/2015

Issue date: 04/10/2021 Version: 18 (04/10/2021)

Version: 18

### **LAVANDA AZZURRA 789/C**

**Evaporation rate:**Not determined **Flammability (solid, gas):**Not determined

**Upper/lower flammability or explosive limits:** Product does not present an explosion hazard

Vapour pressure:Not determinedVapour density:Not determined

**Relative density @ 20°C (g/cm3):** > 0,8000

**Solubility(ies):** Solubility in organic solvents Soluble in ethanol. Insoluble in water.

Partition coefficient: n-octanol/water:

Auto-ignition temperature:

Not determined

Not determined

Not determined

Viscosity:

Not determined

Not determined

Not determined

Not expected

Not expected

Not expected

**9.2 Other information:** None available

## **SECTION 10. Stability and reactivity**

#### 10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

## 10.2 Chemical stability:

Good stability under normal storage conditions.

## 10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

#### 10.4 Conditions to avoid:

Avoid extreme heat.

#### 10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

## 10.6 Hazardous decomposition products:

Not expected.

### **SECTION 11. Toxicological information**

### 11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

**Acute Toxicity:** Based on available data the classification criteria are not met.

Acute Toxicity Oral 4614
Acute Toxicity Dermal >5000

Acute Toxicity Inhalation Not Available

In accordance with Regulation EC No. 830/2015

Issue date: 04/10/2021 Version: 18 (04/10/2021)

Version: 18

#### **LAVANDA AZZURRA 789/C**

Skin corrosion/irritation:Skin Corrosion / Irritation Category 2Serious eye damage/irritation:Eye Damage / Irritation Category 2Respiratory or skin sensitisation:Sensitization - Skin Category 1

Germ cell mutagenicity:

Based on available data the classification criteria are not met.

Carcinogenicity:

Based on available data the classification criteria are not met.

Reproductive toxicity:

Based on available data the classification criteria are not met.

STOT-single exposure:

Based on available data the classification criteria are not met.

STOT-repeated exposure:

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

### Information about hazardous ingredients in the mixture

Name	CAS	CE	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
2-Octanone	111-13-7	203-837-1	1150	2000,01	Not available	Not available
Coumarin	91-64-5	202-086-7	500	Not available	INOt available	Not available

Refer to Sections 2 and 3 for additional information.

## **SECTION 12. Ecological information**

#### 12.1 Toxicity:

Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability: Not available

**12.3 Bioaccumulative potential:** Not available

**12.4 Mobility in soil:** Not available

## 12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Other adverse effects: Not available

## **SECTION 13. Disposal considerations**

### 13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

#### **SECTION 14. Transport information**

**14.1 UN number**: UN3082

**14.2 UN Proper Shipping Name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (p-

menth-1-en-8-yl acetate, Verdyl Propionate)

14.3 Transport hazard class(es): 9

Sub Risk: -

In accordance with Regulation EC No. 830/2015

Issue date: 04/10/2021 Version: 18 (04/10/2021)

Version: 18

**LAVANDA AZZURRA 789/C** 

14.4. Packing Group:

**14.5 Environmental hazards:** This is an environmentally hazardous substance.

**14.6 Special precautions for user:** None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable

## **SECTION 15. Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Water Hazard Class (WGK): 2

#### 15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

#### **SECTION 16. Other information**

**Concentration % Limits:** EH C2=84.09% EH C3=7.54% EH C4=39.73% SCI 2=41.18% EDI 2=21.

51% SS 1=11.18%

**Total Fractional Values:** EH C2=1.19 EH C3=13.27 EH C4=2.52 SCI 2=2.43 EDI 2=4.65 SS 1=8.95

Key to revisions:

Concentration % Limits

SECTION 3: Composition/information on ingredients

**Total Fractional Values** 

#### Key to abbreviations:

Abbreviation	Meaning
Acute Tox. 4	Acute Toxicity - Oral Category 4
Acute Tox. 4	Acute Toxicity - Inhalation Category 4
Acute Tox. 4	Acute Toxicity - Dermal Category 4
Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
Aquatic Chronic 3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
Asp. Tox 1	Aspiration Hazard Category 1
Eye Dam. 1	Eye Damage / Irritation Category 1
Eye Irrit. 2	Eye Damage / Irritation Category 2
Flam. Liq. 3	Flammable Liquid, Hazard Category 3
Flam. Sol. 2	Flammable Solid, Hazard Category 2
H226	Flammable liquid and vapour.
H228	Flammable solid.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.

In accordance with Regulation EC No. 830/2015

Issue date: 04/10/2021 Version: 18 (04/10/2021)

Version: 18

H400 Very toxic to aquatic life.  H410 Very toxic to aquatic life with long lastin  H411 Toxic to aquatic life with long lastin  H412 Harmful to aquatic life with long last	lans, exposure route).  lans) through prolonged or repeated exposure (exposure route).  lasting effects.  ng effects.  sting effects.  n flames and hot surfaces No smoking.  ing equipment.  stilating and lighting equipment.
H319 Causes serious eye irritation. H332 Harmful if inhaled. H371 May cause damage to organs (organs) H400 Very toxic to aquatic life. Very toxic to aquatic life with long lating H410 Toxic to aquatic life with long lating H411 Harmful to aquatic life with long lating H412 Harmful to aquatic life with long lating H412 Keep away from heat, sparks, oper H410 Keep container tightly closed. H411 Ground/bond container and receivity P241 Use explosion-proof electrical, vent	lasting effects.  In geffects.  In geffects.  In geffects.  In general facts of the surfaces o
H332 Harmful if inhaled.  H371 May cause damage to organs (organs) H373 May cause damage to organs (organs) H400 Very toxic to aquatic life.  H410 Very toxic to aquatic life with long lasting H411 Toxic to aquatic life with long lasting H412 Harmful to aquatic life with long lasting H412 Keep away from heat, sparks, oper H413 Keep container tightly closed.  H414 Ground/bond container and receivity H415 Use explosion-proof electrical, vent	lasting effects.  In geffects.  In geffects.  In geffects.  In general facts of the surfaces o
H371 May cause damage to organs (organs) H373 May cause damage to organs (organs) H400 Very toxic to aquatic life.  H410 Very toxic to aquatic life with long lasting H411 Toxic to aquatic life with long lasting H412 Harmful to aquatic life with long lasting H412 Keep away from heat, sparks, oper Keep container tightly closed.  P240 Ground/bond container and receivitg P241 Use explosion-proof electrical, vent	lasting effects.  In geffects.  In geffects.  In geffects.  In general facts of the surfaces o
H373 May cause damage to organs (organs) H400 Very toxic to aquatic life.  H410 Very toxic to aquatic life with long lasting H411 Toxic to aquatic life with long lasting H412 Harmful to aquatic life with long lasting H412 Keep away from heat, sparks, oper H413 Keep container tightly closed.  H414 Ground/bond container and received H415 Use explosion-proof electrical, vent	lasting effects.  In geffects.  In geffects.  In geffects.  In general many strength of the st
H400 Very toxic to aquatic life.  H410 Very toxic to aquatic life with long lastin  H411 Toxic to aquatic life with long lastin  H412 Harmful to aquatic life with long last  P210 Keep away from heat, sparks, oper  P233 Keep container tightly closed.  P240 Ground/bond container and receivi  P241 Use explosion-proof electrical, vent	lasting effects.  ing effects.  sting effects.  in flames and hot surfaces No smoking.  ing equipment.  itilating and lighting equipment.
H410 Very toxic to aquatic life with long lastin H411 Toxic to aquatic life with long lastin H412 Harmful to aquatic life with long last P210 Keep away from heat, sparks, oper P233 Keep container tightly closed. P240 Ground/bond container and receivi P241 Use explosion-proof electrical, vent	ing effects.  In flames and hot surfaces No smoking.  In general surfaces of the surface of the su
H411 Toxic to aquatic life with long lastin H412 Harmful to aquatic life with long last P210 Keep away from heat, sparks, oper P233 Keep container tightly closed. P240 Ground/bond container and receivi P241 Use explosion-proof electrical, vent	ing effects.  In flames and hot surfaces No smoking.  In general surfaces of the surface of the su
H412 Harmful to aquatic life with long las P210 Keep away from heat, sparks, oper P233 Keep container tightly closed. P240 Ground/bond container and receivi P241 Use explosion-proof electrical, vent	n flames and hot surfaces No smoking.  ing equipment.  itilating and lighting equipment.
P210 Keep away from heat, sparks, open P233 Keep container tightly closed. P240 Ground/bond container and receivi P241 Use explosion-proof electrical, vent	n flames and hot surfaces No smoking. ing equipment. itilating and lighting equipment.
P233 Keep container tightly closed. P240 Ground/bond container and receivi P241 Use explosion-proof electrical, vent	ing equipment. Itilating and lighting equipment.
P233 Keep container tightly closed. P240 Ground/bond container and receivi P241 Use explosion-proof electrical, vent	ing equipment. Itilating and lighting equipment.
P241 Use explosion-proof electrical, vent	tilating and lighting equipment.
P242 Use only non-sparking tools.	inst static discharge.
	inst static discharge.
P243 Take precautionary measures agai	
P260 Do not breathe vapour or dust.	
P261 Avoid breathing vapour or dust.	
P264 Wash hands and other contacted s	skin thoroughly after handling.
P270 Do not eat, drink or smoke when us	
P271 Use only outdoors or in a well-vent	
	d not be allowed out of the workplace.
P273 Avoid release to the environment.	ì
P280 Wear protective gloves/eye protect	tion/face protection.
	I a POISON CENTER or doctor/physician.
P301/312 IF SWALLOWED: call a POISON C	CENTER or doctor/physician if you feel unwell.
P302/352 IF ON SKIN: Wash with plenty of se	
P303/361/353 IF ON SKIN (or hair): Remove/take	e off immediately all contaminated clothing. Rinse skin with water/shower.
	sh air and keep at rest in a position comfortable for breathing.
P305/351/338 IF IN EYES: Rinse cautiously with do. Continue rinsing.	water for several minutes. Remove contact lenses, if present and easy to
	all a POISON CENTRE or doctor/physician.
P310 Immediately call a POISON CENTE	ER or doctor/physician.
P312 Call a POISON CENTRE or doctor.	r/physician if you feel unwell.
P330 Rinse mouth.	
P331 Do not induce vomiting.	
P332/313 If skin irritation occurs: Get medica	al advice/attention.
P333/313 If skin irritation or rash occurs: Get	medical advice/attention.
P337/313 If eye irritation persists: Get medica	al advice/attention.
P362 Take off contaminated clothing and	d wash before reuse.
P363 Wash contaminated clothing before	e reuse.
P370/378 In case of fire: Use carbon dioxide,	, dry chemical, foam for extinction.
P391 Collect spillage.	
P403/235 Store in a well-ventilated place. Ke	pep cool.
P405 Store locked up.	

In accordance with Regulation EC No. 830/2015

Issue date: 04/10/2021 Version: 18 (04/10/2021)

Version: 18

LAVANDA AZZURRA 789/C			
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.		
STOT RE 2	Specific Target Organ Toxicity (Repeated Exposure) Category 2		
STOT SE 2	Specific Target Organ Toxicity (Single Exposure) Category 2		
Skin Irrit. 2	Skin Corrosion / Irritation Category 2		
Skin Sens. 1	Sensitization - Skin Category 1		
Skin Sens. 1B	Sensitization - Skin Category 1B		

Recommended restriction of use by the manufacturer:

## FOR INDUSTRIAL USE ONLY - NOT IS A PRODUCT FOR RETAIL SALE.

The data are based on our current knowledge and experience and describe the product in terms of safety; the data do not represent a guarantee for any specific product features and will not establish a legal contractual relationship. Therefore, the manufacturer assumes no liability arising from irresponsible, improper or illegal, direct or indirect, damages of any kind, in reference to the product sampled or sold.

THIS DOCUMENT REPLACES ANY PREVIOUS EDITION.